SUZUKI

THE ULTIMATE OUTBOARD MOTOR

2022 SUZUKI GENUINE MARINE PARTS AND ACCESSORIES

SUZUKI
300
SUZUKI
300
FOUR STROKE

INDEX

OPERATION SYSTEMS (04-47)

04 SYNCRO-EYE
06 SUZUKI PRECISION CONTROL (S.P.C)
16 MECHANICAL REMOTE CONTROL
20 COMPONENT OF MECHANICAL REMOTE CONTROL
24 NEW KEYLESS START SYSTEM
30 SUZUKI MULTI-FUNCTION GAUGE (SMG4)
38 SUZUKI DIAGNOSTIC SYSTEM MOBILE
40 ANALOGUE INSTRUMENT
42 STEERING
44 ELECTRICAL PARTS
46 FUEL SYSTEM

SUZUKI PROPELLERS (48-51)

48 WATERGRIP
50 PROPELLER LINE-UP

MAINTAINING YOUR SUZUKI (52-55)

52 CARE & MAINTENANCE ITEM
54 MAINTENANCE KITS

Integrated Control System

"SYNCRO-EYE" is a comprehensive system Suzuki has developed which "connects" various devices so that they may work together in synchronization. This innovative system will also improve the control technology of the boat by "sensing" various situations surrounding the boat and be compatible with future technology.

SUZUKI
350
SUZUKI
350

NEW SUZUKI PRECISION CONTROL (S.P.C)

New Remote Control Box

- Integrated "SELECT" and "THROTTLE ONLY" switches
- Integrated Emergency switch (Flush Mount only)
- 1 Lever Operation : This switch allows multiple motor operation with just 1 lever(Dual top mount only)

Single Top Mount

Dual Top Mount

Flush Mount

All New Suzuki Precision Control

Suzuki's best technology lies in the Suzuki Precision Control (S.P.C) for the Drive-By-Wire System. With the S.P.C, a computer electronically sends signals to the engine by wire, eliminating friction and making shifting easier and smoother. The S.P.C also processes and transmits commands in real-time to the actuator. This enables instant, precise throttle response for greater control and accuracy.

This year, we bring the first full model change of the S.P.C system. The new system features:

- Control of up to 6 OBM units.
- Automatic Trim available by using SMD or SMG4.
- All new designs for the Remote Control Box, Switch Panel and Control Panel.

New Switch Panel

- New Panel types : Horizontal and Separate type panel to suit all helm layout needs
- Mounting bolts are concealed for a smooth, luxurious finish
- Easy start for multi-motor boats : Users can start all motors with 1 button/switch. Motors start in order from port to starboard

*Emergency switch not needed if using flush mount

New Control Panel

Find out more!

COMPONENT PARTS

1 R/C BOX

BINNACLE MOUNT R/C BOX

67200-98L00-000
for Single Engine

67200-98L10-000
for Dual Engine

FLUSH MOUNT R/C BOX

67200-98L20-000
for Single Engine

2 CONTROL PANEL

37120-98L00-000
for Dual Engine

37120-98L10-000
for Triple Engine

37120-98L20-000
for Quadruple Engine
PORT

37120-98L30-000
for Quadruple Engine,
Quintuple Engine
STBD

37120-98L40-000
for Quintuple Engine
PORT

37120-98L50-000
for Sextuple Engine
PORT

37120-98L60-000
for Sextuple Engine
STBD

3 BUZZER

38500-93J90-000

4 BOAT CONTROL MODULE

36770-98L00-000

BCM HOLDER (L)
BCM HOLDER (R)

36775-98J00-000
(L)

36776-98J00-000
(R)

BCM CUSHION

33925-98L00-000

5 TERMINAL RESISTOR

33926-98L00-000

6 BATTERY LEAD WIRE

36625-98J10-000
2.2 meters

36625-98J20-000
6.1 meters

7 BCM #1 WIRING HARNESS

36623-98L00-000
for Single Engine

36623-98L30-000
for Dual or Triple Engine

36623-98L40-000
for Quadruple Engine

8 HARNESS, EMERGENCY SWITCH EXTENSION

36627-98L10-000

9 SIGNAL CONVERTER UNIT

37140-98L00-000

10 DUAL STATION WIRING HARNESS

36622-98L00-000

11 BCM #2 WIRING HARNESS

36624-98L00-000
for Single Engine

36624-98L10-000
for Dual or Triple Engine

36624-98L20-000
for Quadruple Engine

12 ENGINE WIRING HARNESS

36621-98L00-000
for Dual Engine

13 MAIN SWITCH PANEL VERTICAL

37100-98L10-000
single ignition with Emergency stop switch

MAIN SWITCH PANEL HORIZONTAL

37100-98L20-000
single ignition with Emergency stop switch

MAIN SWITCH PANEL

37100-98L00-000
single ignition without Emergency stop switch

COMPONENT PARTS

13 MAIN SWITCH PANEL VERTICAL

37290-98L10-000
single ignition with
Emergency stop switch

MAIN SWITCH PANEL HORIZONTAL

37290-98L20-000
single ignition with
Emergency stop switch

MAIN SWITCH PANEL (KEYLESS START SYSTEM)

37290-98L00-000
single ignition without
Emergency stop switch

14 EMERGENCY SWITCH PANEL

37803-98L00-000

15 MAIN WIRING HARNESS

36620-98L00-000
6.5 meters for control system

36620-98L10-000
9.5 meters for control system

16 MAIN WIRING HARNESS EXTENSION

36620-98L20-000
2.0 meters for control system

17 TROLL MODE SWITCH PANEL

37860-98L00-000

18 R/C BOX HARNESS EXTENSION

36627-98L00-000
1 meter

19 HARNESS COMP, CAN EXT

36627-98L20-000
for triple engine,
and quadruple engine

EXTRA OPTION

COUNTER SELECT CONNECTOR

36612-98J20-000

Applicable Model	DF150AP/175AP DF200AP/250AP/300AP
Converts to counter rotation specification.	



Suzuki Selective Rotation

In multi-outboard installations on large boats, a counter-rotation outboard is usually paired with a regular rotation model to help keep the boat traveling on an even keel and in a straight line. AP Models are built with special counter-rotating gearing in the lower unit, which causes the prop to rotate in the opposite direction. Suzuki Selective Rotation eliminates the need to purchase a dedicated counter-rotation outboard by using a special switch that turns a regular rotation outboard into a counter-rotation model with a counter-rotational propeller.
This industry-first is made possible through a unique design of gears, shaft, and bearings in the lower unit that are designed to which can operate reliably and efficiently in either both regular or and counter-rotation directions.

SUZUKI SELECTIVE ROTATION

REMOTE-CONTROL KIT

SINGLE ENGINE



For SINGLE ENGINE (Single Station)				KIT			
				BINNACLE-MOUNT		FLUSH-MOUNT	
	PART NUMBER	PART NAME	LENGTH	1st STATION KIT	2nd STATION KIT	1st STATION KIT	2nd STATION KIT
				67000-98L00-000	67000-98LA0-000	67000-98L10-000	67000-98LB0-000
1	67200-98L00-000	BINNACLE MOUNT R/C BOX		1	1	-	-
	67200-98L20-000	FLUSH MOUNT R/C BOX		-	-	1	1
3	38500-93J90-000	WARNING BUZZER		-	1	-	1
	09407-08401-000	WARNING BUZZER CLAMP		-	1	-	1
4	36770-98L00-000	BOAT CONTROL MODULE		1	1	1	1
	36775-98L00-000	BCM HOLDER (L)		1	1	1	1
	36776-98L00-000	BCM HOLDER (R)		1	1	1	1
	33925-98L00-000	BCM CUSHION		1	1	1	1
5	33926-98L00-000	TERMINAL RESISTOR		2	-	2	-
6	36625-98J10-000	BATTERY-LEAD		1	-	1	-
7	36623-98L00-000	BCM #1 WIRING HARNESS		1	-	1	-
8	36627-98L10-000	HARNESS ASSY,EM SWITCH EXT		-	-	1	1
9	37140-98L00-000	UNIT COMP,SIGNAL CONVERTER		-	-	1	1
10	36622-98L00-000	DUAL-STATION WIRING HARNESS		-	1	-	1
11	36624-98L00-000	BCM #2 WIRING HARNESS		-	1	-	1
-	09403-13402-000	HARNESS CLAMP		10	10	10	10
13	37100-98L00-000	MAIN SWITCH PANEL		Select type		37100-98L00 or 37290-98L00	
	37100-98L10-000	MAIN SWITCH PANEL VERTICAL					
	37100-98L20-000	MAIN SWITCH PANEL HORIZONTAL					
	37290-98L00-000	MAIN SWITCH PANEL (Keyless)			Select type		37290-98L00
	37290-98L10-000	MAIN SWITCH PANEL VERTICAL (Keyless)					
	37290-98L20-000	MAIN SWITCH PANEL HORIZONTAL (Keyless)					
14	37803-98L00-000	EMERGENCY SWITCH PANEL		*1	*1		
15	36620-98L00-000	MAIN WIRING HARNESS	6.5m	Select length			
	36620-98L10-000		9.5m				
16	36620-98L20-000	MAIN WIRING HARNESS EXTENSION	2m	Select if necessary			
17	37860-98L00-000	TROLL MODE SWITCH PANEL (optional)		Optional			
18	36627-98L00-000	HARNESS COMP,R/CON EXT				*1	*1

13 to 18 are not included in these kits. Please purchase these items separately.
13, 15, 16 : Select appropriate type
14 is required when using 37100-98L00-000 or 37290-98L00-000 with BINNACLE-MOUNT CONTROL KIT.
17 is optional. Please purchase only if required.
18 is required when using FLUSH-MOUNT CONTROL KIT.

DUAL ENGINE



	For DUAL ENGINE			KIT	
	PART NUMBER	PART NAME	LENGTH	1st STATION KIT 67000-98L20-000	2nd STATION KIT 67000-98LC0-000
1	67200-98L10-000	BINNACLE MOUNT R/C BOX		1	1
2	37120-98L00-000	CONTROL PANEL		1	1
3	38500-93J90-000	WARNING BUZZER		1	2
	09407-08401-000	WARNING BUZZER CLAMP		1	2
4	36770-98L00-000	BOAT CONTROL MODULE		2	2
	36775-98L00-000	BCM HOLDER (L)		2	2
	36776-98L00-000	BCM HOLDER (R)		2	2
	33925-98L00-000	BCM CUSHION		2	2
5	33926-98L00-000	TERMINAL RESISTOR		3	-
6	36625-98J10-000	BATTERY-LEAD		1	-
7	36623-98L30-000	BCM #1 WIRING HARNESS		1	-
10	36622-98L00-000	DUAL-STATION WIRING HARNESS		-	1
11	36624-98L10-000	BCM #2 WIRING HARNESS		-	1
12	36621-98L00-000	ENGINE WIRING HARNESS		1	-
-	09403-13402-000	HARNESS CLAMP		15	10
-	36612-98J20-000	CONNECTOR, COUNTER SELECT		1	-
13	37100-98L00-000	MAIN SWITCH PANEL		Select type	
	37100-98L10-000	MAIN SWITCH PANEL VERTICAL			
	37100-98L20-000	MAIN SWITCH PANEL HORIZONTAL			
	37290-98L00-000	MAIN SWITCH PANEL (Keyless)			Select type
	37290-98L10-000	MAIN SWITCH PANEL VERTICAL (Keyless)			
	37290-98L20-000	MAIN SWITCH PANEL HORIZONTAL (Keyless)			
14	37803-98L00-000	EMERGENCY SWITCH PANEL		*1	*1
15	36620-98L00-000	MAIN WIRING HARNESS	6.5m	Select length	
	36620-98L10-000		9.5m		
16	36620-98L20-000	MAIN WIRING HARNESS EXTENSION	2m	Select if necessary	
17	37860-98L00-000	TROLL MODE SWITCH PANEL (optional)		Optional	
18	36627-98L00-000	HARNESS COMP,R/CON EXT		Select if necessary	

13 to 18 are not included in these kits. Please purchase these items separately.
13, 15, 16 : Select appropriate type
14 is required when using 37100-98L00-000 or 37290-98L00-000 with BINNACLE-MOUNT CONTROL KIT.
17 is optional. Please purchase only if required.

REMOTE-CONTROL KIT

TRIPLE ENGINE



	For TRIPLE ENGINE			KIT	
	PART NUMBER	PART NAME	LENGTH	1st STATION KIT	2nd STATION KIT
				67000-98L30-000	67000-98LD0-000
1	67200-98L10-000	BINNACLE MOUNT R/C BOX		1	1
2	37120-98L10-000	CONTROL PANEL		1	1
3	38500-93J90-000	WARNING BUZZER		1	2
	09407-08401-000	WARNING BUZZER CLAMP		1	2
4	36770-98L00-000	BOAT CONTROL MODULE		2	2
	36775-98L00-000	BCM HOLDER (L)		2	2
	36776-98L00-000	BCM HOLDER (R)		2	2
	33925-98L00-000	BCM CUSHION		2	2
5	33926-98L00-000	TERMINAL RESISTOR		3	-
6	36625-98J10-000	BATTERY-LEAD		1	-
7	36623-98L30-000	BCM #1 WIRING HARNESS		1	-
10	36622-98L00-000	DUAL-STATION WIRING HARNESS		-	1
11	36624-98L10-000	BCM #2 WIRING HARNESS		-	1
12	36621-98L00-000	ENGINE WIRING HARNESS		1	-
-	09403-13402-000	HARNESS CLAMP		18	10
-	36612-98J20-000	CONNECTOR, COUNTER SELECT		1	-
13	37100-98L00-000	MAIN SWITCH PANEL		Select type	
	37100-98L10-000	MAIN SWITCH PANEL VERTICAL			
	37100-98L20-000	MAIN SWITCH PANEL HORIZONTAL			
	37290-98L00-000	MAIN SWITCH PANEL (Keyless)			Select type
	37290-98L10-000	MAIN SWITCH PANEL VERTICAL (Keyless)			
	37290-98L20-000	MAIN SWITCH PANEL HORIZONTAL (Keyless)			
14	37803-98L00-000	EMERGENCY SWITCH PANEL		*1	*1
15	36620-98L00-000	MAIN WIRING HARNESS	6.5m	Select length	
	36620-98L10-000		9.5m		
16	36620-98L20-000	MAIN WIRING HARNESS EXTENSION	2m	Select if necessary	
17	37860-98L00-000	TROLL MODE SWITCH PANEL		Optional	
18	36627-98L00-000	HARNESS COMP, R/CON EXT		Select if necessary	
19	36627-98L20-000	HARNESS COMP, CAN EXT		Select if necessary	

13 to 19 are not included in these kits. Please purchase these items separately.
13, 15, 16 : Select appropriate type
14 is required when using 37100-98L00-000 or 37290-98L00-000 with BINNACLE-MOUNT CONTROL KIT.
17 is optional. Please purchase only if required.

QUADRUPLE ENGINE



	For QUADRUPLE ENGINE			KIT	
	PART NUMBER	PART NAME	LENGTH	1st STATION KIT 67000-98L40-000	2nd STATION KIT 67000-98LE0-000
1	67200-98L10-000	BINNACLE MOUNT R/C BOX		1	1
2	37120-98L20-000	CONTROL PANEL PORT		1	1
	37120-98L30-000	CONTROL PANEL STBD		1	1
3	38500-93J90-000	WARNING BUZZER		1	2
	09407-08401-000	WARNING BUZZER CLAMP		1	2
4	36770-98L00-000	BOAT CONTROL MODULE		2	2
	36775-98L00-000	BCM HOLDER (L)		2	2
	36776-98L00-000	BCM HOLDER (R)		2	2
	33925-98L00-000	BCM CUSHION		2	2
5	33926-98L00-000	TERMINAL RESISTOR		3	-
6	36625-98J10-000	BATTERY-LEAD		1	-
7	36623-98L40-000	BCM #1 WIRING HARNESS		1	-
10	36622-98L00-000	DUAL-STATION WIRING HARNESS		-	1
11	36624-98L20-000	BCM #2 WIRING HARNESS		-	1
12	36621-98L00-000	ENGINE WIRING HARNESS		2	-
-	09403-13402-000	HARNESS CLAMP		20	15
-	36612-98J20-000	CONNECTOR, COUNTER SELECT		2	-
13	37100-98L00-000	MAIN SWITCH PANEL		Select type	
	37100-98L10-000	MAIN SWITCH PANEL VERTICAL			
	37100-98L20-000	MAIN SWITCH PANEL HORIZONTAL			
	37290-98L00-000	MAIN SWITCH PANEL (Keyless)			Select type
	37290-98L10-000	MAIN SWITCH PANEL VERTICAL (Keyless)			
	37290-98L20-000	MAIN SWITCH PANEL HORIZONTAL (Keyless)			
14	37803-98L00-000	EMERGENCY SWITCH PANEL		*1	*1
15	36620-98L00-000	MAIN WIRING HARNESS	6.5m	Select length	
	36620-98L10-000		9.5m		
16	36620-98L20-000	MAIN WIRING HARNESS EXTENSION	2m	Select if necessary	
17	37860-98L00-000	TROLL MODE SWITCH PANEL		Optional	
18	36627-98L00-000	HARNESS COMP,R/CON EXT		Select if necessary	
19	36627-98L20-000	HARNESS COMP,CAN EXT		Select if necessary	

13 to 19 are not included in these kits. Please purchase these items separately.
13, 15, 16 : Select appropriate type
14 is required when using 37100-98L00-000 or 37290-98L00-000 with BINNACLE-MOUNT CONTROL KIT.
17 is optional. Please purchase only if required.

MECHANICAL REMOTE CONTROL

REMOTE-CONTROL KIT

Mechanical Remote Control model users now have the option of choosing to use the new switch panel.

To use the previous panel, please refer to the installation manual for the wiring diagram.

SINGLE ENGINE



For SINGLE ENGINE (Single Station)

	PART NUMBER	PART NAME	LENGTH	BINNACLE-MOUNT	FLUSH-MOUNT	SIDE-MOUNT
1	67200-88L01-000	BINNACLE MOUNT R/C BOX		1	-	-
	67200-93J34-000	FLUSH MOUNT R/C BOX		-	1	-
	67200-93J61-000	SIDE MOUNT R/C BOX		-	-	1
2	37100-98L00-000	MAIN SWITCH PANEL IG SWITCH ONLY		1 (Select type)		-
	37100-98L10-000	MAIN SWITCH PANEL VERTICAL				
	37100-98L20-000	MAIN SWITCH PANEL HORIZONTAL				
	37803-98L00-000	PANEL ASSY, EMERGENCY SWITCH		*1		-
3	36620-93J70-000	MAIN WIRING HARNESS	6.5m	1 (Select length)		
	36620-93J80-000		5m			
	36620-93J90-000		8m			
4	67320-93J00-000	R/C CABLE (ORT THROTTLE AND SHIFT CABLES)	2.4m	2 (Select length)		
	67320-93J10-000		3.m			
	67320-93J20-000		3.6m			
	67320-93J30-000		4.2m			
	67320-93J40-000		4.8m			
	67320-93J50-000		5.4m			
	67320-93J60-000		6.1m			
	67320-93J70-000		6.7m			
	67320-93J80-000		7.3m			
-	36620-93J11-000	MAIN WIRING HARNESS EXTENSION	2m	Select if necessary		
	36620-93J41-000		3m			

*Only needed if using 37100-98L00

For KEYLESS START SYSTEM

For SINGLE ENGINE

				KIT					Required
				67000-88L43-000	67000-88L65-000	67000-93JF4-000	67000-93JK6-000	67000-93JM2-000	
	PART NUMBER	PART NAME	LENGTH	BINNACLE-MOUNT CONTROL KIT	BINNACLE-MOUNT CONTROL KIT	FLUSH-MOUNT CONTROL KIT	FLUSH-MOUNT CONTROL KIT	SIDE-MOUNT CONTROL KIT	SINGLE STATION
1	67200-88L01-000	BINNACLE MOUNT R/C BOX		1	1	-	-	-	
	67200-93J34-000	FLUSH MOUNT R/C BOX		-	-	1	1	-	1
	67200-96L11-000	SIDE MOUNT R/C BOX		-	-	-	-	1	
2	37100-96L12-000	SINGLE IGNITION WITH E/S SWITCH		1	1	1	1	*A	1
3	36620-93J70-000	MAIN WIRING HARNESS	6.5m	-	1	-	1	1	1
	36620-93J80-000		5m	-	-	-	-	-	
	36620-93J90-000		8m	-	-	-	-	-	
(a)	34200-93J14-000	TACHOMETER (WHITE)		-	1	-	1	1	
(b)	34800-93J13-000	TRIM GAUGE (WHITE)		-	1	-	1	1	
4	67320-93J00-000	R/C CABLE (ORT THROTTLE AND SHIFT CABLES)	2.4m	**Select length					2
	67320-93J10-000		3m						
	67320-93J20-000		3.6m						
	67320-93J30-000		4.2m						
	67320-93J40-000		4.8m						
	67320-93J50-000		5.4m						
	67320-93J60-000		6.1m						
	67320-93J70-000		6.7m						
	67320-93J80-000		7.3m						
-	36620-93J11-000	MAIN WIRING HARNESS EXTENSION	2m	**Select if necessary					
	36620-93J41-000		3m						

■ **Not included in kit
■ *A The side mount control box is equipped with ignition switch, emergency switch and warning buzzer with clamp.

DUAL ENGINE



	For DUAL ENGINE				Required Qty
	PART NUMBER	PART NAME	LENGTH	Qty	Single Station
1	67200-88L11-000	BINNACLE MOUNT R/C BOX		1	1
2	37100-98L00-000	MAIN SWITCH PANEL IG SWITCH ONLY		2	Select -98L00 OR -98L30
	37100-98L30-000	DUAL IGNITION WITH E/S SWITCH		1	
	37803-98L00-000	PANEL ASSY, EMERGENCY SWITCH		*1	*1
3	36620-93J70-000	MAIN WIRING HARNESS	6.5m	(Select length)	2
	36620-93J80-000		5m		
	36620-93J90-000		8m		
4	67320-93J00-000	R/C CABLE (ORT THROTTLE AND SHIFT CABLES)	2.4m	(Select length)	4
	67320-93J10-000		3m		
	67320-93J20-000		3.6m		
	67320-93J30-000		4.2m		
	67320-93J40-000		4.8m		
	67320-93J50-000		5.4m		
	67320-93J60-000		6.1m		
	67320-93J70-000		6.7m		
	67320-93J80-000		7.3m		
-	36620-93J11-000	MAIN WIRING HARNESS EXTENSION	2m	Select if necessary	-
	36620-93J41-000		3m		

*Only needed if using 37100-98L00

For KEYLESS START SYSTEM

	For DUAL ENGINE			KIT		Required
				67000-88L53-000	67000-88L75-000	
	PART NUMBER	PART NAME	LENGTH	BINNACLE-MOUNT CONTROL KIT	BINNACLE-MOUNT CONTROL KIT	SINGLE STATION
1	67200-88L11-000	BINNACLE MOUNT R/C BOX		1	1	1
2	37100-96L22-000	DUAL IGNITION WITH E/S SWITCH		1	1	1
3	36620-93J70-000	MAIN WIRING HARNESS	6.5m	–	2	2
	36620-93J80-000		5m	–	–	
	36620-93J90-000		8m	–	–	
(a)	34200-93J14-000	TACHOMETER (WHITE)		–	2	
(b)	34800-93J13-000	TRIM GAUGE (WHITE)		–	2	
4	67320-93J00-000	R/C CABLE (ORT THROTTLE AND SHIFT CABLES)	2.4m	**Select length		4
	67320-93J10-000		3m			
	67320-93J20-000		3.6m			
	67320-93J30-000		4.2m			
	67320-93J40-000		4.8m			
	67320-93J50-000		5.4m			
	67320-93J60-000		6.1m			
	67320-93J70-000		6.7m			
	67320-93J80-000		7.3m			
-	36620-93J11-000	MAIN WIRING HARNESS EXTENSION	2m	**Select if necessary	1	
	36620-93J41-000		3m			
-	36621-96L00-000	HARNSS ASSY, DUAL KLS ENG		1	1	
	36663-96L10-000	WIRE COMP, KLS CAN EXT		1	1	
	36664-96L00-000	HARNSS ASSY, KLS CAN		1	1	

■ **Not included in kit

COMPONENT OF MECHANICAL REMOTE CONTROL

1 R/C BOX

BINNACLE MOUNT R/C BOX

67200-88L01-000
for Single Engine
Applicable Model DF8A-250

BINNACLE MOUNT R/C BOX DUAL

67200-88L11-000
for Dual Engine
Applicable Model DF70A-250

FLUSH MOUNT R/C BOX

67200-93J34-000
for Single Engine
Applicable Model DF8A-250

SIDE MOUNT REMOTE CONTROL BOX

67200-91J31-000
for Single Engine, without IGN SW
Applicable Model DF4A-6A

67200-94J40-000
for Single Engine. With warning buzzer with PTT switch
Applicable Model DF8A-30A

67200-93J70-000
for Single Engine. With PTT switch
Applicable Model DF9.9B-250

67200-96L11-000
for Single Engine. With PTT switch for Keyless Start System
Applicable Model DF70A-150/175/200A

2 IGNITION SWITCH PANEL

37100-98L10-000
Single ignition with Emergency stop switch
Applicable Model DF9.9B-250

37100-98L20-000
Single ignition with Emergency stop switch
Applicable Model DF9.9B-250

37100-98L30-000
Dual ignition with Emergency stop switch
Applicable Model DF9.9B-250

37100-98L00-000
Single ignition
Applicable Model DF9.9B-250

3 MAIN WIRING HARNESS

If using the Keyless start system, please use the previous harness and panels. Please refer to the installation manual for details.

36620-93J70-000
6.5 meters for Control system
Applicable Model DF9.9B/20A/40A-250

36620-93J80-000
5.0 meters for Control system
Applicable Model DF40A-250

36620-93J90-000
8.0 meters for Control system
Applicable Model DF40A-250

MAIN WIRING HARNESS EXTENSION

36620-89L00-000
6.5 meters for Control system
Applicable Model DF9.9B/15A/20A

36620-94L01-000
5.0 meters for Control system
Applicable Model DF25A/30A

36620-93J11-000
2.0 meters for Control system
Applicable Model DF9.9B-250

36620-93J41-000
3.0 meters for Control system
Applicable Model DF9.9B-250

4 REMOTE-CONTROL CABLE (ORT THROTTLE AND SHIFT CABLES)

67320-93J00-000
8 feet 2.44 meters
Applicable Model DF4A-250

67320-93J10-000
10 feet 3.05 meters
Applicable Model DF4A-250

67320-93J20-000
12 feet 3.66 meters
Applicable Model DF4A-250

67320-93J30-000
14 feet 4.27 meters
Applicable Model DF4A-250

67320-93J40-000
16 feet 4.88 meters
Applicable Model DF4A-250

67320-93J50-000
18 feet 5.49 meters
Applicable Model DF4A-250

67320-93J60-000
20 feet 6.10 meters
Applicable Model DF4A-250

67320-93J70-000
22 feet 6.71 meters
Applicable Model DF4A-250

67320-93J80-000
24 feet 7.32 meters
Applicable Model DF4A-250

5 SPACER KIT for REMOTE CONTROL BOX

67500-88L00-000
for Single Binnacle-mount type
Applicable Model DF8A-250

67500-88L10-000
for Dual Binnacle-mount type
Applicable Model DF70A-250

6 BATTERY LEAD

36625-93J10-000
6.7 meters
Applicable Model DF100A-200A/200-250

36625-93J01-000
3.9 meters
Applicable Model DF100A-200A/200-250

7 REMOTE-CONTROL ATTACHING KIT

Converts ME model to REMOTE-CONTROL model.

67101-97L00-000
Applicable Model DF4A-6A

67130-89L22-000
Applicable Model DF9.9B/15A/20A

67130-94L03-000
Applicable Model DF25A/30A

67130-94L13-000
Applicable Model DF25ATH/30ATH

67130-99J02-000
CLAMP BRACKET SET (41100-99J00-0EP) is required for installing 67130-99J02-000.
Applicable Model DF8A/9.9A

8 TWIN REMOTE-CONTROL ATTACHMENT KIT



67140-95601-000
Applicable Model DF9.9B-30A/100A-250

CLAMP BRACKET SET

41100-99JL0-YAY
Applicable Model DF8A/9.9A

9 EMERGENCY SWITCH PANEL

37803-98L00-000
Applicable Model DF9.9B-350A

10 PTT SWITCH PANEL

37805-88L00-000
Applicable Model DF40A-250

(a) TACHOMETER

34200-93J14-000
FACE : WHITE

(b) TRIM GAUGE

34800-93J13-000
FACE : WHITE

EXTRA OPTIONS

TROLL MODE SWITCH PANEL

37860-98L00-000

Applicable Model DF40A-200A/ 150AP-300AP/ 300B/325A/350A

Activates SUZUKI Troll Mode System and controls RPM from idling engine speed up to 1200rpm at every 50rpm.

SUZUKI TROLL MODE SYSTEM

Troll Mode Switch:
An option on for Remote Control models from DF40A and over, this system allows the user to adjust engine speed in 50rpm increments, giving highly precise control at low revs. With its own tachometer and control switch, it works alongside our multi-function gauges and analogue gauges.

(**Tiller Handle** Models from DF40A and over have Suzuki Troll Mode System as standard equipment)

*Not Applicable for DF250/225/200, DF250W, DF150W, DF90AWQH

RIGGING TUBE

990C0-20010-000

Applicable Model DF70A-DF350A

*Connect to the hose adapter equipped on the engine

NEW KEYLESS START SYSTEM

HIGH SECURITY

■ The Suzuki Keyless Start System features an immobilizer function for added peace of mind. IC access codes installed in the key fob and engine must match for the engine to start, preventing any wrong key from starting the engine. It also means the engine will not start on any other boat, discouraging theft of the engine as well.

EASY OPERATION

■ The key fob is easy to carry and one is all you need to enjoy stress-free starts for greater boating pleasure. The System requires no mechanical key, so the key fob remains safely in your pocket. It is also waterproof and floats in case it accidentally falls into the water.
2 key fobs are included as standard per system. Dealers can program up to 4 additional fobs to allow multiple users (total 6 fobs per boat)

SUZUKI SECURITY SYSTEM



Find out more by watching our videos

NEW FEATURES

The new Keyless Start System introduces new features for better convenience of both users and dealers, while still providing high security

New Design

New panel design in sleek black. Addition of Horizontal-type and Separate-type panels.

One-push start/stop for multiple engines

All engines start in order with just one push (max 6 engines). No need to push the button multiple times.

Easy Setup and Passcode entry (with SMG4 or SMD)

The new system has a menu selection for easy key fob registration.
Also in case of emergency, users can start the engine by directly inputting the passcode into SMG4 or SMD.

INSTALLATION DIAGRAM

KEYLESS START SYSTEM for S.P.C

*SMG4 or SMD is required to use



	For S.P.C			KIT CONTROLLER SET 37105-98L01 (433 MHz) 37105-98L10 (315 MHz)	Total Required Quantity SINGLE	DUAL	TRIPLE	QUAD
	PART NUMBER	PART NAME	LENGTH					
1	37290-98L00-000 37290-98L10-000 37290-98L20-000	MAIN SWITCH PANEL MAIN SWITCH PANEL VERTICAL MAIN SWITCH PANEL HORIZONTAL	-	-	1	1	1	1
2	37803-98L00-000	EMERGENCY SWITCH PANEL	-	-	(1)	(1)	(1)	(1)
3	38500-93J90-000	BUZZER	-	1	1	1	1	1
4	37171-98L01-000 37171-98L10-000	KEYLESS CONTROL UNIT	-	1	1	1	1	1
5	37172-96L03-000 37172-96L11-000	KEY FOB	-	2	2	2	2	2
6	36623-98LA0-000	KEYLESS CONTROL HARNESS	-	1	1	1	1	1
9	38860-96L01-000	RELAY ASSY, KLS	-	1	1	1	1	1
10	37173-96L10-000	HOLDER, KLS PARTS	-	1	1	1	1	1
11	32980-38F00-000	HOLDER	-	1	1	1	1	1
12	32851-93J00-000	CUSHION	-	1	1	1	1	1
-	09407-14407-000	CLAMP, KLS HARNESS	-	1	1	1	1	1
-	37117-96L00-000	DECAL, KLS	-	2	-	-	-	-

■ *( )part is used when using 37290-98L00-000.

COMPONENT PARTS

1 MAIN SWITCH PANEL VERTICAL

MAIN SWITCH PANEL HORIZONTAL

MAIN SWITCH PANEL HORIZ

2 EMERGENCY SWITCH PANEL

3 BUZZER

4 KEYLESS CONTROL UNIT

5 KEY FOB

6 KEYLESS CONTROL HARNESS

9 KEYLESS RELAY ASSY

10 KEYLESS PARTS HOLDER

11 HOLDER

12 CUSHION

	PART NUMBER	PART NAME	LENGTH	NOTE
1	37290-98L00-000	MAIN SWITCH PANEL	-	
	37290-98L10-000	MAIN SWITCH PANEL VERTICAL	-	
	37290-98L20-000	MAIN SWITCH PANEL HORIZONTAL	-	
2	37803-98L00-000	EMERGENCY SWITCH PANEL	-	Used when using 37290-98L00-000
3	38500-93J90-000	BUZZER	-	
4	37171-98L01-000	KEYLESS CONTROL UNIT	-	433MHz
	37171-98L10-000		-	315MHz
5	37172-96L03-000	KEY FOB	-	433MHz
	37172-96L11-000		-	315MHz
6	36623-98LA0-000	KEYLESS CONTROL HARNESS	-	
9	38860-96L01-000	RELAY ASSY, KLS	-	
10	37173-96L10-000	HOLDER, KLS PARTS	-	
11	32980-38F00-000	HOLDER	-	
12	32851-93J00-000	CUSHION	-	

INSTALLATION DIAGRAM

KEYLESS START SYSTEM for MECHANICAL REMOTE CONTROL



	For MECHANICAL REMOTE CONTROL			KIT		Total Required Quantity	
				CONTROLLER SET	HARNESS SET		
	PART NUMBER	PART NAME	LENGTH	37170-96L07 (433 MHz) 37170-96L16 (315 MHz)	37105-96L13	SINGLE	DUAL
1	37100-96L12-000	MAIN SWITCH PANEL	-	-	-	1	-
	37100-96L22-000		-	-	-	-	1
3	38500-93J90-000	BUZZER	-	-	1	1	1
4	37171-96L03-000 37171-96L12-000	KEYLESS CONTROL UNIT	-	1	-	1	1
5	37172-96L03-000 37172-96L11-000	KEY FOB	-	2	-	2	2
6	36623-96L11-000	KEYLESS CONTROL HARNESS	-	-	1	1	1
7	36662-96L10-000	KEYLESS CAN HARNESS	6.5m	-	1	1	1
8	36664-96L00-000	CAN EXTENSION HARNESS	0.8m	-		-	1
9	38860-96L01-000	RELAY ASSY, KLS	-	-	1	1	1
10	37173-96L10-000	HOLDER, KLS PARTS	-	-	1	1	1
13	36621-96L00-000	HARNESS ASSY, DUAL KLS ENG	-	-	-	-	1
14	36663-96L10-000	WIRE COMP, KLS CAN EXT	2.0m	-		-	1
11	32980-38F00-000	HOLDER	-	-	1	1	1
12	32851-93J00-000	CUSHION	-	-	1	1	1
-	37117-96L00-000	DECAL, KLS	-	2	-	-	-

COMPONENT PARTS

1 MAIN SWITCH PANEL

3 BUZZER

4 KEYLESS CONTROL UNIT

5 KEY FOB

6 KEYLESS CONTROL HARNESS

7 KEYLESS CAN HARNESS

8 CAN EXTENSION HARNESS

9 KEYLESS RELAY ASSY

10 KEYLESS PARTS HOLDER

11 HOLDER

12 CUSHION

	PART NUMBER	PART NAME	LENGTH	NOTE
1	37100-96L12-000	MAIN SWITCH PANEL	-	for SINGLE ENGINE
	37100-96L22-000		-	for DUAL ENGINE
3	38500-93J90-000	BUZZER	-	
4	37171-96L03-000	KEYLESS CONTROL UNIT	-	433MHz
	37171-96L12-000		-	315MHz
5	37172-96L03-000	KEY FOB	-	433MHz
	37172-96L11-000		-	315MHz
6	36623-96L11-000	KEYLESS CONTROL HARNESS	-	
7	36662-96L10-000	KEYLESS CAN HARNESS	6.5m	
8	36664-96L00-000	CAN EXTENSION HARNESS	0.8m	
9	38860-96L01-000	RELAY ASSY, KLS	-	
10	37173-96L10-000	HOLDER, KLS PARTS	-	
11	32980-38F00-000	HOLDER	-	
12	32851-93J00-000	CUSHION	-	

SUZUKI MULTI-FUNCTION GAUGE

The Suzuki Multi-function Gauge (SMG4) shows the right information, at the right time, all on one user-friendly screen.
Users can view a wide range of important information, including engine rpm, speed and trim angle, engine temp and fuel economy in 13 different measurement units, and total fuel flow for multiple engine installations.
The SMG4 also shows alerts from the engine's sensors and warning systems.

ANALOGUE TACHO & SPEED MODE



* Speed sensor or GPS module will be required to display Speed, Mileage, Trip distance, Time information.

TACHO MODE

- Fuel flow (instantaneous)
- Mileage* (instantaneous and average)
- Trip time, Trip distance*
- Engine hour, Voltage, Water temp and more...

	GPS Module	Speed sensor
Speed	□	□(SOW)
Mileage	□	□(SOW)
Trip distance	□	□(SOW)
Time	□	N/A

(SOW): Speed over water

TROLL MODE FUNCTION

- Allows you to control your troll mode from the Multi-Function Gauge

This function is available from year 2019 models. Can only be used by models which are adapted to troll mode.

DISPLAY MODES

DIGITAL TACHO & SPEED MODE

ANALOGUE SPEED MODE

*Night mode screen

FUEL MODE

NEW FEATURES

The SMG4 has 3 key new features.

Multilingual menu

SMG4 is now available in 13 languages:
English, French, Italian, German, Spanish, Swedish, Norwegian, Finnish, Dutch, Portuguese, Danish, Russian, Japanese.

Automatic Trim

Automatically adjusts trim angle with OBM RPM

Demo mode

Shows preinstalled data to demonstrate function of selected screen.
(Ideal for boat shows and exhibitions)

INSTALLATION DIAGRAM

S.P.C & SINGLE ENGINE

SINGLE STATION



DUAL STATION



TOTAL REQUIREMENT LIST

	For S.P.C & SINGLE ENGINE			Total Required Quantity					
	PART NUMBER	PART NAME	LENGTH	SINGLE STATION	SINGLE STATION (Using Speed over water)	SINGLE STATION (Using Speed over ground)	DUAL STATION	DUAL STATION (Using Speed over water)	DUAL STATION (Using Speed over ground)
1	34011-96L41-000	GAUGE ASSY, MULTI	-	1	1	1	2	2	2
-	36001-88L00-000	CABLE KIT	-	-	1	1	1	1	1
8	990C0-88317-000	SENSOR ASSY, PADDLE WHEEL	-	-	1	-	-	1	-
	990C0-88122-000	GPS RECEIVER MODULE	-	-	-	1	-	-	1

CABLE KIT COMPONENT

	PART NUMBER	PART NAME	LENGTH	Quantity
	36001-88L00-000	CABLE KIT	-	-
2	990C0-88104-000	WIRE COMP, EXTENSION	0.6m	1
3	990C0-88112-000	HARNESS ASSY, NETWORK POWER	-	1
4	990C0-88110-000	CONNECTOR COMP, BRANCH	-	1
5	990C0-88113-000	UNIT COMP, RESISTOR FEMALE	-	1
6	990C0-88114-000	UNIT COMP, RESISTOR MALE	-	1

S.P.C & DUAL ENGINE

SINGLE STATION



DUAL STATION



TOTAL REQUIREMENT LIST

	For S.P.C & DUAL ENGINE			Total Required Quantity					
	PART NUMBER	PART NAME	LENGTH	SINGLE STATION	SINGLE STATION (Using Speed over water)	SINGLE STATION (Using Speed over ground)	DUAL STATION	DUAL STATION (Using Speed over water)	DUAL STATION (Using Speed over ground)
1	34011-96L41-000	GAUGE ASSY, MULTI	-	2	2	2	4	4	4
-	36001-88L00-000	CABLE KIT	-	-	1	1	1	1	1
7-1	36667-96L40-000	WIRE COMP, GAUGE ADAPTER	-	Choose 1			2*		
7-2	36667-96L50-000	WIRE COMP, GAUGE ADAPTER (FOR TANK3-4)	-						
8	990C0-88317-000	SENSOR ASSY, PADDLE WHEEL	-	-	1	-	-	1	-
	990C0-88122-000	GPS RECEIVER MODULE	-	-	-	1	-	-	1
9	36667-96L60-000	WIRE COMP, GAUGE EXT	0.6m	-	-	-	Optional		

* 36667-96L40 x 1 and 36667-96L50 x 1 or
36667-96L40 x 2

MECHANICAL CONTROL & SINGLE ENGINE



■Basic Kit
34000-96L48 **A. GAUGE KIT**

■When using GPS module (or Speed over water)
34000-96L48 **A. GAUGE KIT**
+36001-88L00 **B. CABLE KIT**

+39950-88L02 GPS. Receiver Module
(34190-88L00 When using Speed over water)

+

■When using DF9.9B-DF30A
36660-89L02-000

	For MECHANICAL CONTROL & SINGLE ENGINE			KIT		Total Required Quantity
				A. GAUGE KIT	B. CABLE KIT	
	PART NUMBER	PART NAME	LENGTH	34000-96L48-000	36001-88L00-000	A (+ B) <+ * >
1	34011-96L41-000	GAUGE ASSY, MULTI	-	1	-	1
2-1	990C0-88104-000	WIRE COMP, EXTENSION	0.6m	-	1	(1)
2-2	990C0-88105-000		1.8m	-	-	
3	990C0-88112-000	HARNESS ASSY, NETWORK POWER	-	-	1	(1)
4	990C0-88110-000	CONNECTOR COMP, BRANCH	-	-	1	(1)
5	990C0-88113-000	UNIT COMP, RESISTOR FEMALE	-	-	1	(1)
6	990C0-88114-000	UNIT COMP, RESISTOR MALE	-	-	1	(1)
8	990C0-88317-000	SENSOR ASSY, PADDLE WHEEL	-	-	-	(1)
	990C0-88122-000	GPS RECEIVER MODULE	-	-	-	(1)
10	36661-96L30-000	ADAPTER COMP, GAUGE	-	1	-	1
*	36660-89L02-000	SET, ENG TO INTERFACE WIRE	-	-	-	<1>

■ *( )parts are required when using GPS module or Speed sensor.
■ *< >part are required when using with DF9.9B to 30A.

MECHANICAL CONTROL & DUAL ENGINE



■Basic Kit
34000-96L58 **A. GAUGE KIT**

■When using GPS module
34000-96L58 **A. GAUGE KIT**

+39950-88L02 (34190-88L00) GPS. Receiver Module When using Speed over water)

	For MECHANICAL CONTROL & DUAL ENGINE		KIT	Total Required Quantity
			A. GAUGE KIT	
	PART NUMBER	PART NAME	LENGTH	34000-96L58-000	A (+ 8)
1	34011-96L41-000	GAUGE ASSY, MULTI	-	2	2
2-1	990C0-88104-000	WIRE COMP, EXTENSION	0.6m	2	2
2-2	990C0-88105-000		1.8m	-	
3	990C0-88112-000	HARNESS ASSY, NETWORK POWER	-	1	1
4	990C0-88110-000	CONNECTOR COMP, BRANCH	-	2	2
5	990C0-88113-000	UNIT COMP, RESISTOR FEMALE	-	1	1
6	990C0-88114-000	UNIT COMP, RESISTOR MALE	-	1	1
8	990C0-88317-000	SENSOR ASSY, PADDLE WHEEL	-	-	(1)
	990C0-88122-000	GPS RECEIVER MODULE	-	-	(1)
10	36661-96L30-000	ADAPTER COMP, GAUGE	-	2	2
11	36665-87L10-000	ADAPTER, GAUGE FOR MULTI	-	1	1

■ *( )parts are required when using GPS module or Speed sensor.

ADDITIONAL GAUGE COMPONENTS (MECHANICAL)



	ADDITIONAL GAUGE COMPONENTS (MECHANICAL)			Total Required Quantity
	PART NUMBER	PART NAME	LENGTH	
1	34011-96L41-000	GAUGE ASSY, MULTI	-	1
2-1	990C0-88104-000	WIRE COMP, EXTENSION	0.6m	1
2-2	990C0-88105-000		1.8m	
4	990C0-88110-000	CONNECTOR COMP, BRANCH	-	1
7-1	36667-96L40-000	WIRE COMP, DUAL GAUGE ADAPTER	-	1
9	36667-96L60-000	WIRE, GAUGE EXT	0.6m	(1)

Please use "36667-96L60-000 WIRE, GAUGE EXT" as an extension between "34011-96L41" and "36667-96L40"

COMPONENT PARTS

1 GAUGE ASSY, MULTI

34011-96L41-000

2 WIRE COMP, EXTENSION

2-1 990C0-88104-000
0.6 meters

2-2 990C0-88105-000
1.8 meters

3 HARNESS ASSY, NETWORK POWER

990C0-88112-000

4 CONNECTOR COMP, BRANCH

990C0-88110-000

5 UNIT COMP, RESISTOR FEMALE

990C0-88113-000

6 UNIT COMP, RESISTOR MALE

990C0-88114-000

7 WIRE COMP, GAUGE ADAPTER

7-1 36667-96L40-000

7-2 36667-96L50-000
for Tank 3-4

8 SENSOR ASSY, PADDLE WHEEL

990C0-88317-000

GPS RECEIVER MODULE

990C0-88122-000

9 WIRE COMP, GAUGE EXT (0.6m)

36667-96L60-000
0.6 meters

10 ADAPTER COMP, GAUGE

36661-96L30-000
for Dual Engine

11 ADAPTER, GAUGE FOR MULTI

36665-87L10-000
In addition to component of [MECHANICAL SINGLE]

SUZUKI DIAGNOSTIC SYSTEM MOBILE

SDS Mobile works in tandem with our Multi-Function Gauge and Multi-Function Display. Simply download the App, available on iOS and Android, to your smartphone: you don't need a separate device.
When you email your data scanned from QR code to the Dealer, they will be supplied of information including engine number, number of hours since the last oil change, total hours of operation at different rpm, and other technical information.

*DENSO WEB owns the right of name and logo of QR code.

HOW IT WORKS

1. The Outboard converts engine data into a QR code displayed on the Multi-Function Gauge or Multi-Function Display.
2. Customer can use their smart phone to scan the QR code with the SDS Mobile App. The engine data will be stored on their smart phone.
3. Customer can then send the engine data via email to your Suzuki Dealer.



DOWNLOAD THE APP FROM:

Download on the App Store

Apple and the Apple logo are trademarks of Apple Inc., registered in the U.S. and other countries. App Store is a service mark of Apple Inc., registered in the U.S. and other countries.

GET IT ON Google Play

Google Play and the Google Play logo are trademarks of Google LLC.

SDS Mobile App and email service are entirely free of charge.

Find out more at our Global Homepage

SUZUKI
300

SUZUKI
90

SUZUKI
350

ANALOGUE INSTRUMENT

TACHOMETER

White

Black

34200-93J14-000 (White)

34200-93J02-000 (Black)

Gauge Size 4" (101.6mm)

Applicable Model DF25A-250

Caution system alert with a monitor lamp lighting on when an abnormal engine condition occurs. Refer to SERVICE MANUAL for the detail.

White

Black

34200-93J53-000 (White)

34200-93J42-000 (Black)

Gauge Size 4" (101.6mm)

Applicable Model DF40A-200A

Exclusive for SUZUKI Troll Mode System. Automatically switches to low RPM scale when the SUZUKI Troll Mode System is activated.

White

Black

34200-93J34-000 (White)

34200-93J22-000 (Black)

Gauge Size 4" (101.6mm)

Applicable Model DF8A-30A

Full-scale 7000-RPM TACHOMETER can be used on electric-start models by using 4, 6 or 12 pole switch on rear of meter.

TRIM GAUGE

White Black

34800-93J13-000 (White)

34800-93J02-000 (Black)

Gauge Size 2" (50.8mm)

Applicable Model DF25A-250

Magnetic-type gauge shows trim angle for optimum performance and efficiency.

FUEL GAUGE

White Black

34300-93J13-000 (White)

34300-93J02-000 (Black)

Gauge Size 2" (50.8mm)

FUEL GAUGE alone works with the US Standard 250Ω sending unit.

HOUR METER

White Black

34500-93J13-000 (White)

34500-93J02-000 (Black)

Gauge Size 2" (50.8mm)

Applicable Model DF9.9B-250

12-Volt-electric-motor driven meter indicates hours that your SUZUKI OUTBOARD MOTOR has been operated in order for you to know when each periodic service is required.

SPEEDOMETER

White

Black

(White) **34100-93J13-000**

(Black) **34100-93J02-000**

Gauge Size	4" (101.6mm)
Maximum Speed	130km/h, 80mph

Bourdon-tube type speedometer with readings in km/h and mph. Includes vinyl tube, hardware and installation manual.

White

Black

(White) **34100-93J33-000**

(Black) **34100-93J22-000**

Gauge Size	4" (101.6mm)
Maximum Speed	80km/h, 50mph

Bourdon-tube type speedometer with readings in km/h and mph. Includes vinyl tube, hardware and installation manual.

White

Black

(White) **34100-93J53-000**

(Black) **34100-93J42-000**

Gauge Size	4" (101.6mm)
Maximum Speed	80km/h, 45knots

Bourdon-tube type speedometer with readings in km/h and knots. Includes vinyl tube, hardware and installation manual.

34100-93J62-000

Gauge Size	4" (101.6mm)
Background	White
Maximum Speed	120km/h, 65knots

Bourdon-tube type speedometer with readings in km/h and knots. Includes vinyl tube, hardware and installation manual.

SPEEDOMETER SENDER ASSY

34190-95500-000

34190-87D00-000

VOLTMETER

White Black

34600-93J13-000 (White)

34600-93J02-000 (Black)

Gauge Size	2" (50.8mm)
Applicable Model	DF9.9B-250

To help your SUZUKI OUTBOARD MOTOR run at its best, monitor the charging system functioning with a VOLTMETER.

WATER-PRESSURE GAUGE

White Black

34650-93J33-000 (White)

34650-93J22-000 (Black)

Gauge Size	2" (50.8mm)
Applicable Model	DF40A-250

Bourdon-tube type gauge measures cooling-water pressure. Select an appropriate INSTALLATION KIT for each model.

INSTALLATION KIT for WATER-PRESSURE GAUGE

34660-90J04-000

Applicable Model DF40A-140A

34660-96J01-000

Applicable Model DF150-175/200A

34660-93J02-000

Applicable Model DF200-250

KIT includes fittings and hoses needed for motor to gauge connection.

STEERING

TILLER HANDLE KIT

63002-88L29-YAY	63002-88L17-YAY	63002-87L17-YAY	63002-90J38-YAY
Applicable Model	Applicable Model	Applicable Model	Applicable Model
DF40A/50A	DF60A/50AV/60AV	DF70A-90A/100B	DF100A/115BT

Main features

Tachometer with warning indicators

Three-position angle adjustable bracket

Troll mode switch

- Activates SUZUKI Troll Mode System and controls RPM from idling engine speed up to 1200rpm at every 50rpm.

Power trim & tilt switch and throttle grip friction adjuster

DUAL-ENGINE TIE-BAR

67600-99L00-000
Stainless steel
Applicable Model DF100A-140A

67600-90L00-000
Stainless steel
Applicable Model DF115BG/140BG

67600-93J00-000
Stainless steel
Applicable Model DF150A-200A/200-250
DF150AP-200AP

STEERING EXTENSION KIT

67630-93J00-000
for installation of DUAL-ENGINE TIE-BAR (67600-93J00-000)
Applicable Model DF150A-200A/200-250

DRAG-LINK KIT *67700- includes Steering Cable Seal

67700-87L10-000
Applicable Model DF70A-90A/100B 22MY and later

67700-93J00-000
Applicable Model DF40A-60A/200-250

67700-96J00-000
Applicable Model DF150A-200A/ 150AP-200AP

67701-87J11-000
Applicable Model DF40A-60A/200-250

67701-87L10-000
Applicable Model DF70A-90A/100B 22MY and later

67701-90J01-000
Applicable Model DF100A-140A

67701-96J00-000
Applicable Model DF150A-200A/ 150AP-200AP

67701-94L00-000
Applicable Model DF25A/30A

67701-99J02-000
Applicable Model DF8A-DF20A

STEERING-BRACKET ATTACHMENT

43755-87L00-000
Applicable Model DF70A-90A/100B

43755-88L00-000
Applicable Model DF40A-60A

43755-94L00-000
Applicable Model DF25A-30A

43755-99J00-000
Applicable Model DF8A-20A

STEERING CABLE SEAL

41161-94400-000
Applicable Model DF8A-250

ELECTRICAL PARTS

BATTERY CHARGING KIT

- Optional equipment for charging Battery
- Applicable models : DF4A/5A/6A, DF8A/9.9A, DF9.9B/15A/20A, DF25A/30A.



APPLICABLE MODEL	BATTERY CHARGING KIT ├ RECTIFIER and REGULATOR SET └ RECEPTACLE KIT
DF4A/5A/6A	32000-97L03-000 ├ 32801-97L01-000 └ 39600-97L02-000
DF8A/9.9A	32000-99J03-000 ├ 32801-95J03-000 └ 39600-94J03-000
DF9.9B/15A/20A	32000-89L03-000 ├ 32801-89L01-000 └ 39600-89L02-000
DF25A/30A	32000-94L02-000 ├ 32800-88L01-000 ├ 39600-94L00-000 ├ 32815-94L00-000 (BRACKET) └ 01550-06207-000 (BOLT)

ELECTRIC STARTER KIT

Optional materials for Converting Manual Starter model into Electric Starter model.
* Electric Starter Kit functions as Battery charging Kit as well.



APPLICABLE MODEL	ELECTRIC STARTER KIT
DF4A/5A/6A	–
DF8A/9.9A	31000-99J11-000
DF25A/30A	31000-94L09-000
DF9.9B/15A/20A	31000-89L09-000 (For ~17MY) 31000-89L21-000 (For 18MY~)
	DF9.9B: 33930-89L40-000 DF15A: 33930-89L00-000 DF20A: 33930-89L20-000 DF20A(P40): 33930-89L60-000

BATTERY ISOLATOR LEAD SET

Optional equipment for charging additional battery.

33830-98J11-000

Applicable Model: DF150A-200A/ 150AP-300AP/ 325A/350A

freeman
SUZUKI

300
SUZUKI
300

FUEL SYSTEM

FUEL TANK

NOTE : These tanks do not meet US-EPA requirements.

65000-99100-000
12-liter plastic tank without fuel-level gauge
Applicable Model DF4A/5A/6A

65000-94L10-000
25-liter plastic tank with a fuel-level gauge
Applicable Model DF8A-140A

65000-89L10-000
12-liter plastic tank
Applicable Model DF4A-20A

REPLACEMENT FUEL CAP

NOTE : Not US-EPA compatible.

65520-99100-000
Applicable Model DF5A-20A/R

FUEL-HOSE SOCKET

65750-98506-000
Metal, Inner diameter: 11.2 mm
Applicable Model DF4A-20A/R

65750-87J11-000
Plastic, Inner diameter: 6.6 mm
Applicable Model DF4A/8A-30A

65750-95501-000
Metal, Inner diameter: 13.0 mm
Applicable Model DF8A/R-140A

FUEL CONNECTOR

65720-986B0-000
Engine side, Plastic
Applicable Model DF4A

65740-95D01-000
Tank side,
Outer diameter: 13 mm, 1/4"NPT
Applicable Model DF8A/R-140A

SQUEEZE PUMP

65770-90J13-000
Large-in & Large-out
Applicable Model DF8A-20A/40A-140A

65770-93J13-000
Large-in & Large-out
Applicable Model DF150-350A

SQUEEZE PUMP
(US-EPA compatible.)

65770-90J04-000
Large-in & Large-out
Applicable Model DF8A-140A

FUEL-HOSE

09352-73124-00D
I/D 7.3 , O/D 12.5
LENGTH 4,000mm
Not US-EPA compatible

FUEL-HOSE COMPONENT

65700-87J19-000
for 25-liter plastic tank to engine
Applicable Model DF8A-20A

65700-90J18-000
for 25-liter plastic tank to engine
Applicable Model DF40A-60A

65700-90J24-000
for 25-liter plastic tank to engine
Applicable Model DF70A-140A

65700-93J14-000
for fuel tank to engine
Applicable Model DF150-350A

FUEL-HOSE COMPONENT
(US-EPA compatible.)

65700-87J28-000
Applicable Model DF5A-30A

65700-88L06-000
Applicable Model DF40A-60A



FUEL-HOSE COMPONENT Chart

1 FUEL-HOSE COMPONENT

2 FUEL-HOSE SOCKET Metal

Plastic

3 SQUEEZE PUMP

4 FUEL-HOSE SOCKET Metal

1		2			-				3	-				4		
FUEL HOSE COMPONENT		SOCKET			HOSE					HOSE				SOCKET		
Part Number	A Length (mm)	Material	B I/D (mm)	Part Number	C Length (mm)		I/D (mm)	O/D (mm)	SQUEEZE PUMP	D Length (mm)		I/D (mm)	O/D (mm)	Material	E I/D (mm)	Part Number
65700-87J19-000	1970	Plastic	6.6	65750-87J11-000	700		7.3	12.5	65770-90J13-000	1100		7.3	12.5	Metal	13.0	65750-95501-000
65700-90J18-000	1250	(no socket)	-	-	(no hose)	-	-	-	65770-90J13-000	1100		7.3	12.5	Metal	13.0	65750-95501-000
65700-90J24-000	1250	(no socket)	-	-	(no hose)	-	-	-	65770-90J13-000	1100		7.3	12.5	Metal	13.0	65750-95501-000
65700-93J14-000	2370	(no socket)	-	-	(no hose)	-	-	-	65770-93J13-000	2250	Large	9.0	14.0	(no socket)	-	-
65700-87J28-000	2000	Plastic	6.6	65750-87J11-000	700		7.3	12.5	65770-90J03-000	1100		7.3	12.5	Metal	13.0	65750-95501-000
65700-88L06-000	1280	(no socket)	-	-	(no hose)	-	-	-	65770-90J03-000	1100		7.3	12.5	Metal	13.0	65750-95501-000

WATER SEPARATOR / FUEL FILTER

65900-98J11-000

Applicable Model DF5A-DF140A

65900-98J21-000

Applicable Model DF150A-DF350A

WATER SEPARATOR/FUEL FILTER ELEMENT SET

65910-98J01-000

Applicable Model DF5A-DF350A

SUZUKI PROPELLERS

WATERGRIP

*This picture was taken remotely

WATERGRIP

The WATERGRIP series will be the new standard for Suzuki propellers.
The interchangeable square-shaped bush system is designed for quick and easy replacement when required, and also accurately and efficiently converts power from the engine to thrust through the propeller.

WATERGRIP DUAL

Our flagship models, the DF350A, DF325A and DF300B, introduced the Suzuki Dual Prop System, an industry-leading technology, which delivers outstanding and exciting performance. The two contra-rotating propellers, operating simultaneously, enables greater conversion efficiency as well as better stability, grip, and manoeuverability.

WATERGRIP SPORT

The WATERGRIP SPORT propellers feature a high rake blade design for excellent acceleration and exceptional top speed. These propellers are ideal for lightweight sports boats as they give remarkably stable thrust when turning for superior manoeuvrability.

Model	Type	Material	Blade	Diameter		Pitch		Rotation*	Part number
				in	(mm)	in	(mm)		
DF150	Watergrip	Stainless	3	16	(406.4)	15	(381)	RR	58700-93L80-000
DF150AP	Watergrip	Stainless	3	16	(406.4)	17	(431.8)	RR	58700-93L00-000
DF175	Watergrip	Stainless	3	16	(406.4)	18 1/2	(469.9)	RR	58700-93L10-000
DF175AP	Watergrip	Stainless	3	16	(406.4)	20	(508)	RR	58700-93L20-000
DF200	Watergrip	Stainless	3	16	(406.4)	21 1/2	(546.1)	RR	58700-93L30-000
DF200A	Watergrip	Stainless	3	16	(406.4)	23	(584.2)	RR	58700-93L40-000
DF200AP	Watergrip	Stainless	3	16	(406.4)	24 1/2	(622.3)	RR	58700-93L50-000
DF225	Watergrip	Stainless	3	16	(406.4)	26	(660.4)	RR	58700-93L60-000
DF250	Watergrip	Stainless	3	16	(406.4)	27 1/2	(698.5)	RR	58700-93L70-000
DF250AP	Watergrip	Stainless	3	16	(406.4)	17	(431.8)	CR	58800-93L00-000
DF300AP	Watergrip	Stainless	3	16	(406.4)	18 1/2	(469.9)	CR	58800-93L10-000
	Watergrip	Stainless	3	16	(406.4)	20	(508)	CR	58800-93L20-000
	Watergrip	Stainless	3	16	(406.4)	21 1/2	(546.1)	CR	58800-93L30-000
	Watergrip	Stainless	3	16	(406.4)	23	(584.2)	CR	58800-93L40-000
	Watergrip	Stainless	3	16	(406.4)	24 1/2	(622.3)	CR	58800-93L50-000
	Watergrip	Stainless	3	16	(406.4)	26	(660.4)	CR	58800-93L60-000
	Watergrip	Stainless	3	15 1/2	(393.7)	17	(431.8)	RR	58700-96J00-000
	Watergrip	Stainless	3	15 1/4	(387.4)	19	(482.6)	RR	58700-96J10-000
	Watergrip	Stainless	3	15	(381)	21	(533.4)	RR	58700-96J20-000
	Watergrip	Stainless	3	14 3/4	(374.7)	23	(584.2)	RR	58700-96J30-000
	Watergrip	Stainless	3	14 1/2	(368.3)	25	(635)	RR	58700-96J40-000
	Watergrip	Stainless	3	14 1/2	(368.3)	27	(685.8)	RR	58700-96J50-000
	Watergrip	Stainless	3	15 1/2	(393.7)	17	(431.8)	CR	58800-96J00-000
	Watergrip	Stainless	3	15 1/4	(387.4)	19	(482.6)	CR	58800-96J10-000
	Watergrip	Stainless	3	15	(381)	21	(533.4)	CR	58800-96J20-000
	Watergrip	Stainless	3	14 3/4	(374.7)	23	(584.2)	CR	58800-96J30-000
	Watergrip	Stainless	3	14 1/2	(368.3)	25	(635)	CR	58800-96J40-000
	Watergrip	Stainless	3	14 1/2	(368.3)	27	(685.8)	CR	58800-96J50-000
	Watergrip	Stainless	4	15 1/4	(387.4)	18	(457.2)	RR	58700-93J00-000
	Watergrip	Stainless	4	15 1/4	(387.4)	20	(508)	RR	58700-93J10-000
	Watergrip	Stainless	4	15 1/4	(387.4)	22	(558.8)	RR	58700-93J20-000
	Watergrip	Stainless	4	15 1/4	(387.4)	24	(609.6)	RR	58700-93J30-000
	Watergrip	Stainless	4	15 1/4	(387.4)	26	(660.4)	RR	58700-93J40-000
	Watergrip	Stainless	4	15 1/4	(387.4)	20	(508)	CR	58800-93J10-000
	Watergrip	Stainless	4	15 1/4	(387.4)	22	(558.8)	CR	58800-93J20-000
	Watergrip	Stainless	4	15 1/4	(387.4)	24	(609.6)	CR	58800-93J30-000
	Watergrip	Stainless	4	15 1/4	(387.4)	26	(660.4)	CR	58800-93J40-000
	Watergrip Sport	Stainless	3	15	(381)	19	(482.6)	RR	58700-96L00-000
	Watergrip Sport	Stainless	3	14 7/8	(377.8)	21	(533.4)	RR	58700-96L10-000
	Watergrip Sport	Stainless	3	14 1/2	(368.3)	23	(584.2)	RR	58700-96L20-000
	Watergrip Sport	Stainless	3	14 1/4	(362)	25	(635)	RR	58700-96L30-000
	Watergrip Sport	Stainless	3	14	(355.6)	27	(685.8)	RR	58700-96L40-000

* Be sure to install both front and rear propellers in the same pitch.

Model	Type	Material	Blade	Diameter		Pitch		Part number
				in	(mm)	in	(mm)	
DF300B **DF325A** **DF350A**	Watergrip Dual	Stainless	3	15 1/2	(393.7)	12	(304.8)	58500-98LA0-000 (Front) 58600-98LA1-000 (Rear)
	Watergrip Dual	Stainless	3	15 1/2	(393.7)	15	(381)	58500-98LB0-000 (Front) 58600-98LB1-000 (Rear)
	Watergrip Dual	Stainless	3	15 1/2	(393.7)	16 1/2	(419.1)	58500-98LC0-000 (Front) 58600-98LC1-000 (Rear)
	Watergrip Dual	Stainless	3	15 1/2	(393.7)	18	(457.2)	58500-98L90-000 (Front) 58600-98L91-000 (Rear)
	Watergrip Dual	Stainless	3	15 1/2	(393.7)	19 1/2	(495.3)	58500-98L60-000 (Front) 58600-98L61-000 (Rear)
	Watergrip Dual	Stainless	3	15 1/2	(393.7)	21	(533.4)	58500-98L00-000 (Front) 58600-98L01-000 (Rear)
	Watergrip Dual	Stainless	3	15 1/2	(393.7)	22 1/2	(571.5)	58500-98L10-000 (Front) 58600-98L11-000 (Rear)
	Watergrip Dual	Stainless	3	15 1/2	(393.7)	24	(609.6)	58500-98L20-000 (Front) 58600-98L21-000 (Rear)
	Watergrip Dual	Stainless	3	15 1/2	(393.7)	25 1/2	(647.7)	58500-98L30-000 (Front) 58600-98L31-000 (Rear)
	Watergrip Dual	Stainless	3	15 1/2	(393.7)	27	(685.8)	58500-98L40-000 (Front) 58600-98L41-000 (Rear)
	Watergrip Dual	Stainless	3	15 1/2	(393.7)	28 1/2	(723.9)	58500-98L50-000 (Front) 58600-98L51-000 (Rear)
	Watergrip Dual	Stainless	3	15 1/2	(393.7)	30	(762)	58500-98L70-000 (Front) 58600-98L71-000 (Rear)
	Watergrip Dual	Stainless	3	15 1/2	(393.7)	31 1/2	(800.1)	58500-98L80-000 (Front) 58600-98L81-000 (Rear)

THE NEW WATERGRIP RANGE

WATERGRIP is a stainless-steel propeller series offering accurate response to User operation. Converting engine power into propulsion with high efficiency, this propeller series meets our customer's demand for bigger, faster, more powerful outboards.

The WATERGRIP propeller series employs a new interchangeable and square shaped propeller bush that minimises power loss in delivery.

PROPELLER BUSH ADVANTAGES

Better resistance over propeller slip

Interchangeable bush

PROPELLER LINE-UP

Model	Type	Material	Blade	Diameter		Pitch		Rotation*	Description	Part number
				in	(mm)	in	(mm)			
DF2.5	A520	Aluminum	3	7 3/8	(187.3)	5 3/8	(136.5)	RR		58110-97JA0-019
DF4A	C601	Aluminum	3	7 1/2	(190.5)	6	(152.4)	RR		58110-91JL0-019
DF5A	C611	Aluminum	3	7 1/2	(190.5)	6 1/2	(165.1)	RR		58110-91JM0-019
DF6A	C701	Aluminum	3	7 1/2	(190.5)	7	(177.8)	RR		58110-91JN0-019
DF8A	M701	Aluminum	3	9 1/4	(235)	7	(177.8)	RR		58100-89L00-019
DF9.9A	M821	Aluminum	3	9 1/4	(235)	8	(203.2)	RR	THICK	58100-90L41-019
	M901	Aluminum	3	9 1/4	(235)	9	(228.6)	RR		58100-89L20-019
	M911	Aluminum	3	9 1/4	(235)	9	(228.6)	RR	THICK	58100-90L50-019
	M1001	Aluminum	3	9 1/4	(235)	10	(254)	RR		58100-89L60-019
	M1011	Aluminum	3	9 1/4	(235)	10	(254)	RR	THICK	58100-90L21-019
	M1101	Aluminum	3	9 1/4	(235)	11	(279.4)	RR		58100-89L70-019
DF9.9B		Aluminum	4	10	(254)	5	(127)	RR	High thrust	58100-94JA2-019
DF15A		Aluminum	4	10	(254)	7	(177.8)	RR	High thrust	58100-94JB1-019
DF20A		Aluminum	3	9 1/4	(235)	7	(177.8)	RR		58100-89L00-019
		Aluminum	3	9 1/4	(235)	8	(203.2)	RR	THICK	58100-90L41-019
		Aluminum	3	9 1/4	(235)	9	(228.6)	RR		58100-89L20-019
		Aluminum	3	9 1/4	(235)	9	(228.6)	RR	THICK	58100-90L50-019
		Aluminum	3	9 1/4	(235)	10	(254)	RR		58100-89L60-019
		Aluminum	3	9 1/4	(235)	10	(254)	RR	THICK	58100-90L60-019
		Aluminum	3	9 1/4	(235)	11	(279.4)	RR		58100-89L70-019
		Aluminum	3	9 1/4	(235)	12	(304.8)	RR		58100-89L50-019
DF25A	P911	Aluminum	3	10 1/4	(260.3)	9	(228.6)	RR	THICK	58100-96372-019
DF30A	P1001	Aluminum	3	10 1/4	(260.3)	10	(254)	RR		58100-91L40-019
	P1011	Aluminum	3	10 1/4	(260.3)	10	(254)	RR	THICK	58100-96472-019
	P1101	Aluminum	3	10 1/4	(260.3)	11	(279.4)	RR		58100-91L50-019
	P1201	Aluminum	3	10 1/4	(260.3)	12	(304.8)	RR		58100-91L20-019
	P1211	Aluminum	3	10 1/4	(260.3)	12	(304.8)	RR	THICK	58100-96482-019
	P1301	Aluminum	3	10 1/4	(260.3)	13	(330.2)	RR		58100-91L30-019
	P1311	Aluminum	3	10 1/4	(260.3)	13	(330.2)	RR	THICK	58100-96492-019
	P1401	Aluminum	3	10 1/4	(260.3)	14	(355.6)	RR		58100-95D01-019
	P1501	Aluminum	3	10 1/4	(260.3)	15	(381)	RR		58100-96462-019
DF40A	S900	Aluminum	3	11 1/2	(292.1)	9	(228.6)	RR		58100-88LC0-019
DF50A	S1000	Aluminum	3	11 1/2	(292.1)	10	(254)	RR		58100-88LD0-019
DF60A	S1100	Aluminum	3	11 1/2	(292.1)	11	(279.4)	RR		58100-88LE0-019
	S1200	Aluminum	3	11 5/8	(295.3)	12	(304.8)	RR		58100-88LA0-019
	S1301	Aluminum	3	11 1/2	(292.1)	13	(330.2)	RR		58100-88LB0-019
	S1400	Aluminum	3	11 3/8	(288.9)	14	(355.6)	RR		58100-88L52-019
	S1500	Aluminum	3	11 1/4	(285.8)	15	(381)	RR		58100-88L62-019
	S1600	Aluminum	3	11 1/8	(282.6)	16	(406.4)	RR		58100-88L72-019
	S1700	Aluminum	3	11	(279.4)	17	(431.8)	RR		58100-88LF0-019
	SS1600	Stainless	3	11 1/8	(282.6)	16	(406.4)	RR		58200-88L30-000
DF50AV		Aluminum	3	14	(355.6)	9	(228.6)	RR		58100-87LG1-019
DF60AV		Aluminum	3	14	(355.6)	11	(279.4)	RR		58100-87LH0-019
		Aluminum	3	13 3/4	(349.3)	12	(304.8)	RR		58100-87LJ0-019
		Aluminum	3	14	(355.6)	13	(330.2)	RR		58100-87LA0-019
		Aluminum	3	13 7/8	(352.4)	15	(381)	RR		58100-87LB0-019
		Aluminum	3	13 3/4	(349.3)	17	(431.8)	RR		58100-87LC0-019
DF70A		Aluminum	3	14	(355.6)	13	(330.2)	RR		58100-87LA0-019
DF80A		Aluminum	3	13 7/8	(352.4)	15	(381)	RR		58100-87LB0-019
DF90A		Aluminum	3	13 3/4	(349.3)	17	(431.8)	RR		58100-87LC0-019
DF100B		Aluminum	3	13 3/4	(349.3)	19	(482.6)	RR		58100-87LD0-019
		Aluminum	3	13 3/4	(349.3)	21	(533.4)	RR		58100-87LE0-019
		Aluminum	3	13 3/4	(349.3)	23	(584.2)	RR		58100-87LF0-019
		Aluminum	3	13 1/2	(342.9)	15	(381)	RR		58100-90JE0-019
		Aluminum	3	14	(355.6)	17	(431.8)	RR		58100-90JA0-019
		Aluminum	3	14	(355.6)	19	(482.6)	RR		58100-90JB0-019
		Aluminum	3	14	(355.6)	21	(533.4)	RR		58100-90JC0-019
		Aluminum	3	14	(355.6)	23	(584.2)	RR		58100-90JD0-019
		Stainless	3	13 7/8	(352.4)	15	(381)	RR		58200-92J40-000
		Stainless	3	13 7/8	(352.4)	17	(431.8)	RR		58200-92J50-000
		Stainless	3	13 7/8	(352.4)	19	(482.6)	RR		58200-92J60-000
		Stainless	3	13 7/8	(352.4)	21	(533.4)	RR		58200-92J70-000
		Stainless	3	13 7/8	(352.4)	23	(584.2)	RR		58200-92J80-000
		Stainless	3	13 7/8	(352.4)	25	(635)	RR		58200-92J90-000

*RR:Regular-Rotation model, CR:Counter-Rotation model

Model	Type	Material	Blade	Diameter in	Diameter (mm)	Pitch in	Pitch (mm)	Rotation*	Description	Part number
DF100A		Aluminum	3	13 1/2	(342.9)	15	(381)	RR		58100-90JE0-019
DF115A		Aluminum	3	14	(355.6)	17	(431.8)	RR		58100-90JA0-019
DF115BG		Aluminum	3	14	(355.6)	19	(482.6)	RR		58100-90JB0-019
DF140A		Aluminum	3	14	(355.6)	21	(533.4)	RR		58100-90JC0-019
DF140BG		Aluminum	3	14	(355.6)	23	(584.2)	RR		58100-90JD0-019
		Stainless	3	13 7/8	(352.4)	15	(381)	RR		58200-92J40-000
		Stainless	3	13 7/8	(352.4)	17	(431.8)	RR		58200-92J50-000
		Stainless	3	13 7/8	(352.4)	19	(482.6)	RR		58200-92J60-000
		Stainless	3	13 7/8	(352.4)	21	(533.4)	RR		58200-92J70-000
		Stainless	3	13 7/8	(352.4)	23	(584.2)	RR		58200-92J80-000
		Stainless	3	13 7/8	(352.4)	25	(635)	RR		58200-92J90-000
		Stainless	3	13 7/8	(352.4)	17	(431.8)	CR		58200-92JA0-000
		Stainless	3	13 7/8	(352.4)	19	(482.6)	CR		58200-92JB0-000
		Stainless	3	13 7/8	(352.4)	21	(533.4)	CR		58200-92JC0-000
		Stainless	3	13 7/8	(352.4)	23	(584.2)	CR		58200-92JD0-000

HARDWARE FOR PROPELLER

Applicable Model	STOPPER	PROPELLER BUSH	HARDWARE KIT					
				SPACER	WASHER	STOPPER	NUT	COTTER PIN
DF2.5	57635-91JL0-000	58120-97JA0-000	N/A	-	-	-	58130-91JL0-000	09204-03003-000
DF4A/5A/6A	57635-97L00-000	58120-91JL0-000	N/A	-	-	-	58130-91JL0-000	09204-03003-000
DF8A/9.9A	57632-94J00-000	58120-89L00-000	N/A	-	09160-12066-000	-	09141-12005-000	09204-02004-000
DF9.9B/15A/20A	57632-94J00-000	58120-89L00-000	N/A	-	09160-12066-000	-	09141-12005-000	09204-02004-000
DF25A/30A	57632-91L00-000	58120-96401-000	57630-96300-000	57633-96300-000	09160-14028-000	-	09141-14008-000	09204-03003-000
DF40A/50A/60A	57632-95320-000	58120-88L01-000	57630-94301-000	57633-94301-000	09160-18028-000	-	09141-18005-000	09204-03003-000
DF50AV/60AV	57635-90J01-000	58105-90J00-000	57630-90J00-000	57633-90J02-000	09160-18028-000	-	09141-18005-000	09204-03003-000
DF70A/80A/90A/100B	57632-87L01-000	58105-90J00-000	57630-90J00-000	57633-90J02-000	09160-18028-000	-	09141-18005-000	09204-03003-000
DF100A/115A/115BG/140A/140BG	57635-92J01-000	58105-90J00-000	57630-90J00-000	57633-90J02-000	09160-18028-000	-	09141-18005-000	09204-03003-000
DF150A-300AP	57632-93L11-000	58120-93L00-000	57630-93L00-000	57633-93L00-000	09160-18028-000	-	09141-18005-000	09204-03003-000
DF300B/DF325A/350A Front	58531-98L00-000	58520-98L00-000	58540-98L00-000	58541-98L00-000	-	58551-98L00-000	58561-98L00-000	-
DF300B/DF325A/350A Rear	58631-98L00-000	58620-98L00-000	58640-98L00-000	58641-98L00-000	09160-18019-000	-	09141-18005-000	09204-03003-000

Choosing The Right Propeller

Propeller selection is very important in the performance of the boat. Acceleration, speed, fuel efficiency, stability and engine RPM all are affected by the propeller. Operating requirements and conditions will also determine which design, style and pitch of the propeller your customer can choose. The combination of boat, engine and appropriate propeller size may have already been tested by the boat manufacturer.
Your Customer may need your assistance to determine the correct propeller for their application.

Stainless Steel Propellers

Suzuki Stainless Steel Propellers offer high performance and durability. Their aggressive design enhances the overall performance of the boat and the durability of stainless steel ensures long term dependability. Suzuki Stainless Steel propellers are also fitted with a rubber cushion hub to help absorb vibration and shock should they strike a foreign object.

Propeller Sizing

When referring to propeller size, the first number is the number of blades, the second number details the **diameter** of the propeller, and the third number is the **pitch**
Example: **3 x 13 x 18** = 3 blades x Diameter: 13 inches x Pitch: 18 inches.
The pitch is the most significant factor when choosing a propeller.

Diameter

Diameter is the distance across an imaginary circle that is made when a propeller rotates. Diameter is determined during the the designing process of a propeller and is usually based on engine size, gear case design, horsepower and speed.





Pitch

Pitch is the theoretical distance that a propeller corkscrews forward through the water. In theory, an 18"(457.2mm) pitch propeller would travel 18"(457.2mm) with each complete revolution*.
Lower pitches accelerate faster, but have lower top end speed. Higher pitches have a slower acceleration, but attain higher top speeds. An inch of pitch is generally equal to 150-200 engine RPM at wide open throttle (WOT). If pitch increases by an inch, RPM will decrease by 150-200 RPM at WOT. If pitch decreases by an inch, RPM will increase by 150-200 RPM at WOT.
*Note during actual operation, this number will be affected by slip factors such as water conditions, boat weight, propeller style, etc.

Propeller Cup

Cup is the curve along the trailing edge of the propeller blade. This reduces propeller slip and ventilation, allowing users to operate their engine at a higher transom mounting, and use more trim for bow lift.

Rake

Rake is the angle, in degrees, that the propeller blades are mounted to the barrel of the propeller. Blades of a zero degree rake propeller are mounted perpendicular to the barrel . High rake propellers have blades that angle more to the rear of the propeller. These blades hold water longer and ventilate less at higher engine heights.
Such propellers produce higher thrust which helps lift the bow of the boat more effectively.

CARE & MAINTENANCE ITEM

SUZUKI MARINE by MOTUL

4-STROKE ENGINE OIL

SAE 10W-30 Semi-Synthetic, FC-W

12x1L	99000-22B59-4T1
4x5L	99000-22B59-4T5
60L	99000-22B59-4T6

4-STROKE ENGINE OIL

SAE 10W-40 Semi-Synthetic, FC-W

12x1L	99000-22B60-4T1
4x5L	99000-22B60-4T5
60L	99000-22B60-4T6
208L	99000-22B60-4T8

MARINE GEAR OIL

SAE 90 GL-5

12x1L	99000-22B61-001

MARINE GEAR OIL

SAE 90, GL-5

24x0.35L	99000-22B61-P35

TOUCH-UP PAINT

99000-10202-0EP
SHADOW BLACK METALLIC (set)

99000-10202-YAY
PEARL NEBULAR BLACK (set)

99000-10202-Y5S
COOL WHITE (single)

PAINT SPRAY

990F0-41005-CLR
CLEAR COAT

990F0-41005-0ED
CALIFORNIA GREY METALLIC

990F0-41005-0EP
SHADOW BLACK METALLIC

990F0-41005-YAY
PEARL NEBULAR BLACK

990F0-41005-Y5S
COOL WHITE

LIQUID GASKET

99000-31140-THR
1207B (BLACK)
100 grams (3.5 oz)

GREASE

SHELL GADUS S2 V100 3*
plastic cartridge

For AT, BE, CH, DE, FR, UK, IE, IT, LU, NL, RO	
1 x 400g	990F0-25011-GER
For CZ, DK, EE, FI, UK, HU, LT, LV, NO, PL, SE, SK	
1 x 400g	990F0-25011-002
For BA, BG, ES, HR, IT, PT, RO, RS, SI, TR	
1 x 400g	990F0-25011-003

*Replacement for Super Grease A
99000-25011-000/99000-25480-000

99000-25350-000
WATER RESISTANT GREASE EP2
250 grams (8.8 oz)

THREAD LOCK

99000-32130-000
1360 (RED)
50 grams (1.7 oz)

FLUSH-HOSE ATTACHMENT

55181-95200-000
Applicable Model DF4A-6A/40A-60A

17917-87L00-000
Applicable Model DF8A-350A

FLUSHING TOOLHMENT

99000-81202-000
FLUSHING TOOL
Applicable Model DF325A/350A

BATTERY CHARGER

990E0-OPTIM-CAR
OptiMate 6, versatile battery charger, maintainer and tester. Recommended for STS/AGM/MF/GEL and spiral cell batteries from 15 Ah to 240 Ah.

ZINC ANODE for saltwater

55300-95500-000
Applicable Model DF8A/9.9A/40A-60A

55125-96310-000
Applicable Model DF25/R/Q

55321-90J01-000
Applicable Model DF50AV/60AV/100A-140A

ALUMINUM ANODE for brackish water, saltwater

55321-87J01-000
Applicable Model DF2.5-350A

55320-94900-000
Applicable Model DF60A-350A

55321-95J00-000
Applicable Model DF2.5,DF4A-6A

55321-93J01-000
Applicable Model DF70A-90A/100B/150-350A

MAGNESIUM ANODE for freshwater

55321-87J11-000
Applicable Model DF4A-350A

55321-94910-000
Applicable Model DF70A-350A

Anode Bulk Pack

55321-87810-B50
Applicable Model DF2.5-300AP
50pcs in one package

ENGINE COVER

99000-81700-000
Applicable Model DF8A-20A

99000-81730-000
Applicable Model DF115BG/140BG, DF200T/Z-250T/Z

99000-81710-000
Applicable Model DF25A-60A

99000-81740-000
Applicable Model DF150A-200A/175AP/200AP/250AP/300AP

99000-81720-000
Applicable Model DF70A-140A

99000-81750-000
Applicable Model DF300B/325A/350A

MAINTENANCE KIT

SUZUKI highly recommends you to replace your outboard motor with Maintenance Kits every 100 hours or 1 year, whichever comes first.

ALL LINEUP For 4 STROKE OBM

MODEL / YEAR	KIT PART NUMBER	PART NUMBER	PART NAME	QTY
DF2/2.5 ('06~'11)	17400-97820	09168-10022-000	GASKET(10X17X1.5)	1
		09202-02006-000	PIN(2.9X14)	1
		09204-02001-000	PIN	1
		09280-33005-000	O RING(D:1.9,ID:32.7)	1
		09482-00406-000	PLUG,SPARK(CR6HSA)	1
		17461-97JM0-000	IMPELLER,WATER PUMP	1
		17471-97J00-000	PANEL,PUMP CASE UNDER	1
		17472-97J00-000	GASKET,PUMP CASE PANEL	1
		55321-87J01-000	ANODE,PROTECTION	1
		59178-97J00-000	GASKET,DRAIN PLUG	2
DF2/2.5 ('12~)	17400-97810	09168-10022-000	GASKET(10X17X1.5)	1
		09202-02006-000	PIN(2.9X14)	1
		09204-03003-000	PIN	1
		09280-33005-000	O RING(D:1.9,ID:32.7)	1
		09482-00406-000	PLUG,SPARK(CR6HSA)	1
		17461-97JM0-000	IMPELLER,WATER PUMP	1
		17471-97JL0-000	PANEL,PUMP CASE UNDER	1
		17472-97JL0-000	GASKET,PUMP CASE PANEL	1
		55321-87J01-000	ANODE,PROTECTION	1
		59178-97J00-000	GASKET,DRAIN PLUG	2
DF4/5/6 ('02~'10)	17400-91860	17400-98661-000	KIT, WATER PUMP REPAIR	1
		09168-10022-000	GASKET(10X17X1.5)	3
		09204-03003-000	PIN	1
		09482-00299-000	PLUG,SPARK(BPR6ES)	1
		15410-98500-000	FILTER,FUEL	1
		17412-91JL0-000	PANEL,WATER PUMP CASE UPR	1
		17413-91JL0-000	SLEEVE,WATER PUMP CASE	1
		55321-87J01-000	ANODE,PROTECTION	2
DF4/5/6 ('11~'16)	17400-91830	17400-98661-000	KIT, WATER PUMP REPAIR	1
		09168-10022-000	GASKET(10X17X1.5)	3
		09204-03003-000	PIN	1
		09482-00L04-000	PLUG,SPARK(CPR6EA-9)	1
		15410-98500-000	FILTER,FUEL	1
		17412-91JL0-000	PANEL,WATER PUMP CASE UPR	1
		17413-91JL0-000	SLEEVE,WATER PUMP CASE	1
		55321-87J01-000	ANODE,PROTECTION	2
DF4A/5A/6A P01 DF4A/6A P03 ('17~)	17400-91891	17400-98661-000	KIT, WATER PUMP REPAIR	1
		09168-12017-000	GASKET(12X17X1)	1
		09204-03003-000	PIN	1
		09280-39002-000	O RING(D:2,ID:38.5)	1
		09482-00L04-000	PLUG,SPARK(CPR6EA-9)	1
		16510-16H11-000	FILTER,ENGINE OIL	1
		17412-91JL0-000	PANEL,WATER PUMP CASE UPR	1
		17413-91JL0-000	SLEEVE,WATER PUMP CASE	1
		44330-13H00-000	FILTER,FUEL	1
		55321-87J01-000	ANODE,PROTECTION	1
		55321-95J00-000	ANODE,PROTECTION	1
		59178-97J00-000	GASKET,DRAIN PLUG	2
DF8A/9.9A ('10~)	17400-99840	17400-99J01-000	KIT,WATER PUMP REPAIR	1
		09168-12017-000	GASKET(12X17X1)	1
		09204-02004-000	PIN	1
		09280-13004-000	O RING(D:1.9,ID:13)	1
		09280-22019-000	O RING(D:1.9,ID:21.8)	1
		09280-54001-000	O RING(D:2.4,ID:52.6)	1
		09482-00528-000	PLUG,SPARK(CR6E)	2
		15410-98500-000	FILTER,FUEL	1
		16510-45H10-000	FILTER ASSY,ENG OIL	1
		17413-94J00-000	SLEEVE,WATER PUMP CASE	1
		55321-87J01-000	ANODE,PROTECTION	2
		59178-97J00-000	GASKET,DRAIN PLUG	2
DF9.9/15 ('11~'13)	17400-94810	17400-94J00-000	KIT, WATER PUMP REPAIR	1
		09168-10022-000	GASKET(10X17X1.5)	2
		09168-12017-000	GASKET(12X17X1)	1
		09204-02004-000	PIN	1
		09280-10013-000	O RING(D:2.4,ID:9.6)	1
		09482-00L04-000	PLUG,SPARK(CPR6EA-9)	2
		15410-98500-000	FILTER,FUEL	1
		16510-45H10-000	FILTER ASSY,ENG OIL	1
		17413-94J00-000	SLEEVE,WATER PUMP CASE	1
		55321-90L00-000	ZINC,PROTECTION	1
		55321-99E00-000	ANODE,PROTECTION	1
DF9.9B/15A/20A ('13~)	17400-89811	17400-99J01-000	KIT, WATER PUMP REPAIR	1
		09168-12017-000	GASKET(12X17X1)	1
		09204-02004-000	PIN	1
		09280-13004-000	O RING(D:1.9,ID:13)	1
		09280-22019-000	O RING(D:1.9,ID:21.8)	1
		09280-54001-000	O RING(D:2.4,ID:52.6)	1
		09482-00661-000	PLUG,SPARK(MR6K-9)	2
		15410-87L00-000	FILTER,FUEL	1
		16510-45H10-000	FILTER ASSY,ENG OIL	1
		17413-94J00-000	SLEEVE,WATER PUMP CASE	1
		55321-87J01-000	ANODE,PROTECTION	2
		59178-97J00-000	GASKET,DRAIN PLUG	2
DF20/25 V2 ('06~)	17400-95872	17400-95J03-000	KIT, WATER PUMP REPAIR	1
		09168-10022-000	GASKET(10X17X1.5)	2
		09168-12012-000	GASKET(12.5X20X2.5)	1
		09204-03003-000	PIN	1
		09280-10013-000	O RING(D:2.4,ID:9.6)	2
		09280-22019-000	O RING(D:1.9,ID:21.8)	1
		09482-00427-000	PLUG,SPARK(NGK,BKR6E)	2
		15410-87J30-000	FILTER,FUEL	1
		16510-87J01-000	FILTER ASSY,OIL	1
		17413-95J00-000	SLEEVE,WATER PUMP CASE	1
		55321-87J01-000	ANODE,PROTECTION	5
		55321-95J00-000	ANODE,PROTECTION	2
DF25/30 ('01~'10)	17400-89822	17400-96354-000	KIT, WATER PUMP REPAIR	1
		09168-10022-000	GASKET(10X17X1.5)	2
		09168-12012-000	GASKET(12.5X20X2.5)	1
		09204-03003-000	PIN	1
		09482-00446-000	PLUG,SPARK(NGK DCPR6E)	3
		11265-87E10-000	GASKET,PROTECTION COVER	1
		15410-87J10-000	FILTER,FUEL	1
		16510-87J01-000	FILTER ASSY,OIL	1
		55321-87J01-000	ANODE,PROTECTION	1

MODEL / YEAR	KIT PART NUMBER	PART NUMBER	PART NAME	QTY
DF25A/30A ('15~)	17400-94824	17400-94L21-000	KIT, WATER PUMP REPAIR	1
		09168-12017-000	GASKET(12X17X1)	1
		09204-03003-000	PIN	1
		09280-22019-000	O RING(D:1.9,ID:21.8)	1
		09482-00661-000	PLUG,SPARK(MR6K-9)	3
		15410-87L00-000	FILTER,FUEL	1
		16510-87J01-000	FILTER ASSY,OIL	1
		17413-94L00-000	SLEEVE,WATER PUMP CASE	1
		55321-87J01-000	ANODE,PROTECTION	5
		59178-97J00-000	GASKET,DRAIN PLUG	2
DF40/50 ('06LATE~'10)	17400-87822	17400-96354-000	KIT, WATER PUMP REPAIR	1
		09168-10022-000	GASKET(10X17X1.5)	2
		09168-12012-000	GASKET(12.5X20X2.5)	1
		09204-03003-000	PIN	1
		09280-22019-000	O RING(D:1.9,ID:21.8)	2
		09482-00446-000	PLUG,SPARK(NGK DCPR6E)	3
		15410-87J30-000	FILTER,FUEL	1
		16510-87J01-000	FILTER ASSY,OIL	1
		55321-87J01-000	ANODE,PROTECTION	2
DF40A/50A/60A ('10~)	17400-88812	17400-88L01-000	KIT, WATER PUMP REPAIR	1
		09168-10022-000	GASKET(10X17X1.5)	2
		09168-12012-000	GASKET(12.5X20X2.5)	1
		09204-03003-000	PIN	1
		09280-22019-000	O RING(D:1.9,ID:21.8)	2
		09482-00446-000	PLUG,SPARK(NGK DCPR6E)	3
		15410-88L00-000	FILTER,FUEL	1
		16510-87J01-000	FILTER ASSY,OIL	1
		55321-87J01-000	ANODE,PROTECTION	3
DF50AV/60AV ('14~)	17400-88822	17400-99E12-000	KIT, WATER PUMP REPAIR	1
		09168-10022-000	GASKET(10X17X1.5)	2
		09168-12012-000	GASKET(12.5X20X2.5)	1
		09204-03003-000	PIN	1
		09280-22019-000	O RING(D:1.9,ID:21.8)	2
		09482-00446-000	PLUG,SPARK(NGK DCPR6E)	3
		15410-88L00-000	FILTER,FUEL	1
		16510-87J01-000	FILTER ASSY,OIL	1
		55321-87J01-000	ANODE,PROTECTION	3
DF60 ('09LATE~'09END)	17400-99852	17400-99E12-000	KIT, WATER PUMP REPAIR	1
		09168-10022-000	GASKET(10X17X1.5)	2
		09168-12012-000	GASKET(12.5X20X2.5)	1
		09204-03003-000	PIN	1
		09482-00299-000	PLUG,SPARK(BPR6ES)	4
		11265-87E10-000	GASKET,PROTECTION COVER	1
		15410-87J30-000	FILTER,FUEL	1
		16510-87J01-000	FILTER ASSY,OIL	1
		55321-87J01-000	ANODE,PROTECTION	1
DF60/70 ('07)	17400-99871	17400-87E04-000	KIT, WATER PUMP REPAIR	1
		09168-10022-000	GASKET(10X17X1.5)	2
		09168-12012-000	GASKET(12.5X20X2.5)	1
		09204-03003-000	PIN	1
		09482-00299-000	PLUG,SPARK(BPR6ES)	4
		11265-87E10-000	GASKET,PROTECTION COVER	1
		15410-87J30-000	FILTER,FUEL	1
		16510-87J01-000	FILTER ASSY,OIL	1
		55321-87J01-000	ANODE,PROTECTION	1
DF60/70 ('08~'09EARLY)	17400-99861	17400-99E01-000	KIT, WATER PUMP REPAIR	1
		09168-10022-000	GASKET(10X17X1.5)	2
		09168-12012-000	GASKET(12.5X20X2.5)	1
		09204-03003-000	PIN	1
		09482-00299-000	PLUG,SPARK(BPR6ES)	4
		11265-87E10-000	GASKET,PROTECTION COVER	1
		15410-87J30-000	FILTER,FUEL	1
		16510-87J01-000	FILTER ASSY,OIL	1
		17413-99E11-000	SLEEVE,WATER PUMP CASE	1
		17416-99E00-000	SEALING,WATER PUMP CASE NO.1	1
		17417-99E00-000	SEALING,WATER PUMP CASE NO.2	1
		55321-87J01-000	ANODE,PROTECTION	1
DF70A/80A/90A ('09~)	17400-87811	17400-87L04-000	KIT, WATER PUMP REPAIR	1
		09168-10034-000	GASKET(9.5X16.5X2)	2
		09168-12012-000	GASKET(12.5X20X2.5)	1
		09204-03003-000	PIN	1
		09280-22019-000	O RING(D:1.9,ID:21.8)	3
		09482-00446-000	PLUG,SPARK(NGK DCPR6E)	4
		15410-87L00-000	FILTER,FUEL	1
		16510-61A31-000	FILTER ASSY,OIL WAKO	1
		55321-87J01-000	ANODE,PROTECTION	3
DF100/115 ('10~'12)	17400-92841	17400-92J23-000	KIT, WATER PUMP REPAIR	1
		09168-10022-000	GASKET(10X17X1.5)	2
		09168-12012-000	GASKET(12.5X20X2.5)	1
		09204-03003-000	PIN	1
		09280-22019-000	O RING(D:1.9,ID:21.8)	2
		09482-00427-000	PLUG,SPARK(NGK,BKR6E)	4
		11265-87E10-000	GASKET,PROTECTION COVER	2
		15410-87J30-000	FILTER,FUEL	1
		16510-61A31-000	FILTER ASSY,OIL WAKO	1
		55321-87J01-000	ANODE,PROTECTION	4

MODEL / YEAR	KIT PART NUMBER	PART NUMBER	PART NAME	QTY
DF100B ('18~)	17400-87831	17400-87L04-000	KIT, WATER PUMP REPAIR	1
		09168-10034-000	GASKET(9.5X16.5X2)	2
		09168-12012-000	GASKET(12.5X20X2.5)	1
		09204-03003-000	PIN	1
		09280-22019-000	O RING(D:1.9,ID:21.8)	3
		09482-00446-000	PLUG,SPARK(NGK DCPR6E)	4
		15412-92J00-000	FILTER,FUEL	1
		16510-61A31-000	FILTER ASSY,OIL WAKO	1
		55321-87J01-000	ANODE,PROTECTION	3
DF100A/115A/140A ('13~)	17400-92822	17400-92J23-000	KIT, WATER PUMP REPAIR	1
		09168-10022-000	GASKET(10X17X1.5)	2
		09168-12012-000	GASKET(12.5X20X2.5)	1
		09204-03003-000	PIN	1
		09280-22019-000	O RING(D:1.9,ID:21.8)	2
		09482-00427-000	PLUG,SPARK(NGK,BKR6E)	4
		11265-87E10-000	GASKET,PROTECTION COVER	2
		15412-92J00-000	FILTER,FUEL	1
		16510-61A31-000	FILTER ASSY,OIL WAKO	1
		55321-87J01-000	ANODE,PROTECTION	4
DF140 ('10~'12)	17400-92851	17400-92J23-000	KIT, WATER PUMP REPAIR	1
		09168-10022-000	GASKET(10X17X1.5)	2
		09168-12012-000	GASKET(12.5X20X2.5)	1
		09204-03003-000	PIN	1
		09280-22019-000	O RING(D:1.9,ID:21.8)	2
		09280-56005-000	O RING(D:3.53,ID:56.74)	1
		09280-60007-000	O RING(D:3.5,ID:59.6)	1
		09280-70002-000	O RING(D:3.1,ID:69.4)	1
		09482-00427-000	PLUG,SPARK(NGK,BKR6E)	4
		11265-87E10-000	GASKET,PROTECTION COVER	2
		15410-87J30-000	FILTER,FUEL	1
		16510-92J00-000	FILTER ASSY,OIL	1
		16621-73G00-000	GASKET,OIL COOLER	1
		55321-87J01-000	ANODE,PROTECTION	4
DF150/175 ('06~)	17400-96823	17400-96J04-000	KIT, WATER PUMP REPAIR	1
		09168-10034-000	GASKET(9.5X16.5X2)	2
		09168-12012-000	GASKET(12.5X20X2.5)	1
		09204-03003-000	PIN	1
		09280-22019-000	O RING(D:1.9,ID:21.8)	5
		09482-00427-000	PLUG,SPARK(NGK,BKR6E)	4
		15410-96J00-000	FILTER,FUEL,L	1
		16510-96J10-000	FILTER ASSY,OIL	1
		55321-87J01-000	ANODE,PROTECTION	6
DF200A/200AP/ 175AP/150AP ('16~)	17400-96832	17400-96J04-000	KIT, WATER PUMP REPAIR	1
		09168-10034-000	GASKET(9.5X16.5X2)	2
		09168-12012-000	GASKET(12.5X20X2.5)	1
		09204-03003-000	PIN	1
		09280-22019-000	O RING(D:1.9,ID:21.8)	5
		09482-00649-000	PLUG,SPARK(LKR6E)	4
		15412-92J00-000	FILTER,FUEL	1
		16510-96J10-000	FILTER ASSY,OIL	1
		55321-87J01-000	ANODE,PROTECTION	6
DF200/225/250 ('11~)	17400-93853	17400-93J04-000	KIT, WATER PUMP REPAIR	1
		09168-10034-000	GASKET(9.5X16.5X2)	2
		09168-12012-000	GASKET(12.5X20X2.5)	1
		09204-03003-000	PIN	1
		09280-22019-000	O RING(D:1.9,ID:21.8)	7
		09482-00427-000	PLUG,SPARK(NGK,BKR6E)	6
		15412-93J10-000	FILTER ASSY,FUEL	1
		16510-96J10-000	FILTER ASSY,OIL	1
		55320-94900-000	ANODE SET,CLAMP BRACKET	1
		55321-87J01-000	ANODE,PROTECTION	7
DF250A/300(A)/250S ('11~)	17400-98863	17400-98J03-000	KIT, WATER PUMP REPAIR	1
		09168-10034-000	GASKET(9.5X16.5X2)	2
		09168-12012-000	GASKET(12.5X20X2.5)	1
		09204-03003-000	PIN	1
		09280-22019-000	O RING(D:1.9,ID:21.8)	7
		09482-00427-000	PLUG,SPARK(NGK,BKR6E)	6
		15412-93J10-000	FILTER ASSY,FUEL	1
		16510-96J10-000	FILTER ASSY,OIL	1
		55320-94900-000	ANODE SET,CLAMP BRACKET	1
		55321-87J01-000	ANODE,PROTECTION	8
DF325A/350A ('18~)	17400-98871	17400-98L02-000	KIT, WATER PUMP REPAIR	1
		09168-10034-000	GASKET(9.5X16.5X2)	3
		09168-12012-000	GASKET(12.5X20X2.5)	1
		09204-03003-000	PIN	1
		09280-22019-000	O RING(D:1.9,ID:21.8)	7
		09482-00642-000	PLUG,SPARK(NGK,ILZKR7D8)	6
		15412-93J10-000	FILTER ASSY,FUEL	1
		16510-96J10-000	FILTER ASSY,OIL	1
		55320-94900-000	ANODE SET,CLAMP BRACKET	1
		55321-87J01-000	ANODE,PROTECTION	7

THE ULTIMATE OUTBOARD MOTOR

Please read your Owner's Manual carefully. Remember, boating and alcohol or other drugs don't mix. Always wear a personal flotation device when boating. Please operate your outboard safely and responsibly.

Suzuki encourages you to operate your boat safely and with respect for the marine environment.

Specifications, appearances, equipment, colors, materials and other items of "SUZUKI" products shown in this catalog are subject to change by manufacturers at any time without notice and they may vary depending on local conditions or requirements. Some models are not available in some territories. Each model might be discontinued without notice. Please enquire at your local dealer for details of any such changes. Actual body color might differ from the colors in this brochure.

SUZUKI

300 TAKATSUKA-CHO, MINAMI-KU, HAMAMATSU-SHI, SHIZUOKA 432-8611 JAPAN
www.globalsuzuki.com

2022 SUZUKI GENUINE MARINE P & A For EU